

Names follow the Washington Flora Checklist

<<http://biology.burke.washington.edu/herbarium/waflora/checklist.php>>

Non-native plants are in italics

| Family | Accepted Name | Common Name |
|----------------|--|------------------------------|
| Adoxaceae | <i>Sambucus nigra</i> ssp. <i>cerulea</i> (Raf.) R. Bolli | blue elderberry |
| Adoxaceae | <i>Sambucus racemosa</i> L. var. <i>racemosa</i> | red elderberry |
| Adoxaceae | <i>Viburnum edule</i> (Michx.) Raf. | high-bush cranberry |
| Amaryllidaceae | <i>Allium cernuum</i> Roth | nodding onion |
| Amaryllidaceae | <i>Allium validum</i> S. Watson | swamp onion |
| Apiaceae | <i>Angelica arguta</i> Nutt. ex Torr. & A. Gray | sharp-tooth angelica |
| Apiaceae | <i>Angelica genuflexa</i> Nutt. | kneeling angelica |
| Apiaceae | <i>Cicuta douglasii</i> (DC.) J.M. Coult. & Rose | water-hemlock |
| Apiaceae | <i>Daucus carota</i> L. | <i>Queen Anne's lace</i> |
| Apiaceae | <i>Heracleum mantegazzianum</i> Sommier & Levier | <i>giant hogweed</i> |
| Apiaceae | <i>Heracleum maximum</i> Bartr. | cow-parsnip |
| Apiaceae | <i>Ligusticum canbyi</i> (J.M. Coult. & Rose) J.M. Coult. & Rose | Canby's lovage |
| Apiaceae | <i>Ligusticum grayi</i> J.M. Coult. & Rose | Gray's lovage |
| Apiaceae | <i>Lomatium martindalei</i> (Coult. & Rose) Coult. & Rose var. <i>martind</i> | mountain-parsley |
| Apiaceae | <i>Lomatium triternatum</i> var. <i>triternatum</i> (Pursh) J.M. Coult. & Rose | nine-leaf mountain-parsley |
| Apiaceae | <i>Oenanthe sarmentosa</i> C. Presl ex DC. | water-parsley |
| Apiaceae | <i>Osmorhiza berteroi</i> DC. | common sweet-cicely |
| Apiaceae | <i>Osmorhiza occidentalis</i> (Nutt. ex Torr. & A. Gray) Torr. | western sweet-cicely |
| Apiaceae | <i>Osmorhiza purpurea</i> (J.M. Coult. & Rose) Suksd. | purple sweet-cicely |
| Apiaceae | <i>Sanicula graveolens</i> Poepp. ex DC. | Sierra sanicle |
| Apiaceae | <i>Tauschia stricklandii</i> (J.M. Coult. & Rose) Mathias & Constance | Strickland's <i>tauschia</i> |
| Apocynaceae | <i>Apocynum androsaemifolium</i> L. | spreading dogbane |
| Apocynaceae | <i>Vinca minor</i> L. | <i>periwinkle</i> |
| Aquifoliaceae | <i>Ilex aquifolium</i> L. | <i>holly</i> |
| Araceae | <i>Lemna minor</i> L. | duckweed |
| Araceae | <i>Lysichiton americanus</i> Hultén & H. St. John | skunk-cabbage |

| | | |
|------------------|---|------------------------------------|
| Araliaceae | <i>Oplopanax horridus</i> (Sm.) Miq. | devil's-club |
| Aristolochiaceae | <i>Asarum caudatum</i> Lindl. | wild ginger |
| Asparagaceae | <i>Maianthemum dilatatum</i> (Alph. Wood) A. Nelson & J.F. Macbr. | wild lily-of-the-valley |
| Asparagaceae | <i>Maianthemum racemosum</i> ssp. <i>amplexicaule</i> (Nutt.) LaFrankie | large false Solomon's seal |
| Asparagaceae | <i>Maianthemum stellatum</i> (L.) Link | star-flowered false Solomon's seal |
| Asparagaceae | <i>Triteleia hyacinthina</i> (Lindl.) Greene | white brodiaea |
| Aspleniaceae | <i>Asplenium trichomanes</i> ssp. <i>trichomanes</i> L. | maidenhair spleenwort |
| Aspleniaceae | <i>Asplenium trichomanes-ramosum</i> L. | green spleenwort |
| Asteraceae | <i>Achillea millefolium</i> L. | yarrow |
| Asteraceae | <i>Adenocaulon bicolor</i> Hook. | trail plant |
| Asteraceae | <i>Agoseris aurantiaca</i> var. <i>aurantiaca</i> (Hook.) Greene | orange mountain-dandelion |
| Asteraceae | <i>Agoseris glauca</i> var. <i>dasycephala</i> (Torr. & A. Gray) Jeps. | wooly mountain-dandelion |
| Asteraceae | <i>Agoseris grandiflora</i> (Nutt.) Greene var. <i>grandiflora</i> | large-flowered mountain-dandelion |
| Asteraceae | <i>Agoseris heterophylla</i> (Nutt.) Greene | annual mountain-dandelion |
| Asteraceae | <i>Anaphalis margaritacea</i> (L.) Benth. | pearly everlasting |
| Asteraceae | <i>Antennaria howellii</i> ssp. <i>howellii</i> Greene | Howell's pussytoes |
| Asteraceae | <i>Antennaria howellii</i> ssp. <i>neodioica</i> (Greene) Bayer | field pussytoes |
| Asteraceae | <i>Antennaria lanata</i> (Hook.) Greene | wooly pussytoes |
| Asteraceae | <i>Antennaria media</i> Greene | alpine pussytoes |
| Asteraceae | <i>Antennaria racemosa</i> Hook. | Hooker's pussytoes |
| Asteraceae | <i>Antennaria rosea</i> Greene ssp. <i>rosea</i> | rosy pussytoes |
| Asteraceae | <i>Antennaria umbrinella</i> Rydb. | dark pussytoes |
| Asteraceae | <i>Anthemis arvensis</i> L. | corn chamomile |
| Asteraceae | <i>Anthemis cotula</i> L. | stinking chamomile |
| Asteraceae | <i>Arctium minus</i> Bernh. | common burdock |
| Asteraceae | <i>Arnica cordifolia</i> Hook. | heartleaf arnica |
| Asteraceae | <i>Arnica gracilis</i> Rydb. | alpine arnica |
| Asteraceae | <i>Arnica lanceolata</i> ssp. <i>prima</i> (Maguire) Strother & S.J. Wolf | streambank arnica |
| Asteraceae | <i>Arnica latifolia</i> Bong. | broadleaf arnica |
| Asteraceae | <i>Arnica longifolia</i> D.C. Eaton | spearleaf arnica |
| Asteraceae | <i>Arnica mollis</i> Hook. | hairy arnica |
| Asteraceae | <i>Arnica ovata</i> Greene | hybrid arnica |
| Asteraceae | <i>Arnica parryi</i> A. Gray | nodding arnica |
| Asteraceae | <i>Arnica rydbergii</i> Greene | Rydberg's arnica |

| | | |
|------------|---|--------------------------------|
| Asteraceae | <i>Artemisia absinthium</i> L. | <i>common wormwood</i> |
| Asteraceae | <i>Artemisia campestris</i> L. var. <i>scouleriana</i> (Besser) Cronquist | <i>arctic artemisia</i> |
| Asteraceae | <i>Artemisia douglasiana</i> Besser | <i>common mugwort</i> |
| Asteraceae | <i>Artemisia furcata</i> M. Bieb. | <i>Pacific wormwood</i> |
| Asteraceae | <i>Artemisia ludoviciana</i> ssp. <i>candicans</i> (Rydb.) D.D. Keck | <i>three-forked artemisia</i> |
| Asteraceae | <i>Artemisia michauxiana</i> Besser | <i>silver wormwood</i> |
| Asteraceae | <i>Artemisia norvegica</i> ssp. <i>saxatilis</i> (Besser) H.M. Hall & Clem. | <i>Michaux's mugwort</i> |
| Asteraceae | <i>Artemisia suksdorfii</i> | <i>Coastal wormwood</i> |
| Asteraceae | <i>Artemisia tilesii</i> Ledeb. | <i>Aleutian wormwood</i> |
| Asteraceae | <i>Bellis perennis</i> L. | <i>English daisy</i> |
| Asteraceae | <i>Bidens frondosa</i> L. | <i>leafy sticktight</i> |
| Asteraceae | <i>Canadanthus modestus</i> (Lindl.) G.L. Nesom | <i>tall northern aster</i> |
| Asteraceae | <i>Centaurea cyanus</i> L. | <i>bachelor's buttons</i> |
| Asteraceae | <i>Centaurea diffusa</i> Lam. | <i>tumble knapweed</i> |
| Asteraceae | <i>Centaurea nigra</i> L. | <i>black knapweed</i> |
| Asteraceae | <i>Centaurea stoebe</i> ssp. <i>micranthos</i> (Gugler) Hayek | <i>spotted knapweed</i> |
| Asteraceae | <i>Cichorium intybus</i> L. | <i>chicory</i> |
| Asteraceae | <i>Cirsium arvense</i> (L.) Scop. | <i>Canada thistle</i> |
| Asteraceae | <i>Cirsium brevistylum</i> Cronquist | <i>short-style thistle</i> |
| Asteraceae | <i>Cirsium edule</i> var. <i>edule</i> Nutt. | <i>cayuse thistle</i> |
| Asteraceae | <i>Cirsium vulgare</i> (Savi) Ten. | <i>bull thistle</i> |
| Asteraceae | <i>Conyza canadensis</i> (L.) Cronquist | <i>horseweed</i> |
| Asteraceae | <i>Crepis capillaris</i> (L.) Wallr. | <i>smooth hawksbeard</i> |
| Asteraceae | <i>Erechtites minimus</i> (Poir.) DC. | <i>coastal burnweed</i> |
| Asteraceae | <i>Erigeron acris</i> var. <i>kamtschaticus</i> (DC.) Herder | <i>bitter daisy</i> |
| Asteraceae | <i>Erigeron aureus</i> Greene | <i>golden daisy</i> |
| Asteraceae | <i>Erigeron compositus</i> Pursh | <i>dwarf mountain fleabane</i> |
| Asteraceae | <i>Erigeron glacialis</i> var. <i>glacialis</i> (Nutt.) A. Nelson | <i>mountain daisy</i> |
| Asteraceae | <i>Erigeron nivalis</i> Nutt. | <i>small bitter daisy</i> |
| Asteraceae | <i>Erigeron philadelphicus</i> var. <i>philadelphicus</i> L. | <i>Philadelphia daisy</i> |
| Asteraceae | <i>Erigeron speciosus</i> (Lindl.) DC. | <i>showy daisy</i> |
| Asteraceae | <i>Erigeron strigosus</i> var. <i>strigosus</i> Muhl. ex Willd. | <i>rough-stemmed daisy</i> |
| Asteraceae | <i>Eriophyllum lanatum</i> var. <i>integrifolium</i> (Hook.) Smiley | <i>Oregon sunshine</i> |
| Asteraceae | <i>Eriophyllum lanatum</i> var. <i>lanatum</i> (Pursh) Forbes | <i>Oregon sunshine</i> |

| | | |
|------------|---|---------------------------|
| Asteraceae | <i>Eucephalus ledophyllus</i> var. <i>ledophyllus</i> (A. Gray) Greene | Cascade aster |
| Asteraceae | <i>Gamochaeta ustulata</i> (Nutt.) G.L. Nesom | purple cudweed |
| Asteraceae | <i>Gnaphalium uliginosum</i> L. | marsh cudweed |
| Asteraceae | <i>Hieracium albiflorum</i> Hook. | white hawkweed |
| Asteraceae | <i>Hieracium atratum</i> Fr. | polar hawkweed |
| Asteraceae | <i>Hieracium aurantiacum</i> L. | orange hawkweed |
| Asteraceae | <i>Hieracium caespitosum</i> Dumort. | meadow hawkweed |
| Asteraceae | <i>Hieracium pilosella</i> | mouse-ear hawkweed |
| Asteraceae | <i>Hieracium scouleri</i> Hook. | Scouler's hawkweed |
| Asteraceae | <i>Hieracium triste</i> Willd. ex Spreng. | slender hawkweed |
| Asteraceae | <i>Hulsea nana</i> A. Gray | dwarf alpinegold |
| Asteraceae | <i>Hypochaeris radicata</i> L. | rough cat's-ear |
| Asteraceae | <i>Jacobaea vulgaris</i> Gaertn. | tansy ragwort |
| Asteraceae | <i>Lactuca biennis</i> (Moench) Fernald | tall blue lettuce |
| Asteraceae | <i>Lactuca serriola</i> L. | prickly lettuce |
| Asteraceae | <i>Lapsana communis</i> L. | nipplewort |
| Asteraceae | <i>Leucanthemum vulgare</i> Lam. | oxeye daisy |
| Asteraceae | <i>Logfia arvensis</i> (L.) Holub | field cottonrose |
| Asteraceae | <i>Luina hypoleuca</i> Benth. | silverback luina |
| Asteraceae | <i>Madia exigua</i> (Sm.) A. Gray | little tarweed |
| Asteraceae | <i>Madia glomerata</i> Hook. | cluster tarweed |
| Asteraceae | <i>Madia gracilis</i> (Sm.) D.D. Keck | slender tarweed |
| Asteraceae | <i>Matricaria discoidea</i> DC. | pineapple-weed |
| Asteraceae | <i>Microseris borealis</i> (Bong.) Sch. Bip. | northern microseris |
| Asteraceae | <i>Mycelis muralis</i> (L.) Dumort. | wall-lettuce |
| Asteraceae | <i>Nothocalais alpestris</i> (A. Gray) K.L. Chambers | smooth mountain-dandelion |
| Asteraceae | <i>Oreostemma alpigenum</i> (Torr. & A. Gray) G.L. Nesom var. <i>alpige</i> | alpine aster |
| Asteraceae | <i>Packera cymbalaria</i> (Pursh) W.A. Weber & A. Löve | cleft-leaf senecio |
| Asteraceae | <i>Packera flettii</i> (Wiegand) W.A. Weber & A. Löve | Flett's senecio |
| Asteraceae | <i>Packera streptanthifolia</i> (Greene) W.A. Weber & A. Löve | Rocky Mountain senecio |
| Asteraceae | <i>Petasites frigidus</i> var. <i>frigidus</i> (L.) Fr. | sweet coltsfoot |
| Asteraceae | <i>Petasites frigidus</i> var. <i>palmatus</i> (Aiton) Cronquist | arctic coltsfoot |
| Asteraceae | <i>Petasites hybridus</i> (L.) G. Gaertn., B. Mey. & Scherb. | pestilence weed |
| Asteraceae | <i>Prenanthes alata</i> (Hook.) D. Dietr. | western rattlesnake-root |

| | | |
|---------------|---|----------------------|
| Asteraceae | <i>Pseudognaphalium thermale</i> (E. E. Nelson) G. L. Nesom | slender cudweed |
| Asteraceae | <i>Pseudognaphalium viscosum</i> (Kunth) W.A. Weber | sticky cudweed |
| Asteraceae | <i>Psilocarphus oregonus</i> Nutt. | Oregon woolyheads |
| Asteraceae | <i>Rainiera stricta</i> (Greene) Greene | tongue-leaf rainiera |
| Asteraceae | <i>Saussurea americana</i> D.C. Eaton | American sawwort |
| Asteraceae | <i>Senecio fremontii</i> var. <i>fremontii</i> Torr. & A. Gray | Fremont's senecio |
| Asteraceae | <i>Senecio integerrimus</i> var. <i>exaltatus</i> (Nutt.) Cronquist | western senecio |
| Asteraceae | <i>Senecio integerrimus</i> var. <i>ochroleucus</i> (A. Gray) Cronquist | western senecio |
| Asteraceae | <i>Senecio sylvaticus</i> L. | woods senecio |
| Asteraceae | <i>Senecio triangularis</i> Hook. | arrowleaf senecio |
| Asteraceae | <i>Senecio vulgaris</i> L. | old man |
| Asteraceae | <i>Solidago elongata</i> Nutt. | Canada goldenrod |
| Asteraceae | <i>Solidago multiradiata</i> Aiton | northern goldenrod |
| Asteraceae | <i>Solidago simplex</i> var. <i>nana</i> (A. Gray) G.S. Ringius | dwarf goldenrod |
| Asteraceae | <i>Sonchus asper</i> (L.) Hill | prickly sow-thistle |
| Asteraceae | <i>Sonchus oleraceus</i> L. | common sow-thistle |
| Asteraceae | <i>Symphotrichum foliaceum</i> var. <i>parryi</i> (D.C. Eaton) G.L. Nesom | leafy aster |
| Asteraceae | <i>Symphotrichum subspicatum</i> (Nees) G.L. Nesom | Douglas's aster |
| Asteraceae | <i>Tanacetum parthenium</i> (L.) Sch. Bip. | feverfew |
| Asteraceae | <i>Tanacetum vulgare</i> L. | common tansy |
| Asteraceae | <i>Taraxacum officinale</i> F.H. Wigg. | dandelion |
| Asteraceae | <i>Tonestus lyallii</i> (A. Gray) A. Nelson | Lyall's goldenweed |
| Asteraceae | <i>Tragopogon dubius</i> Scop. | yellow salsify |
| Asteraceae | <i>Tragopogon porrifolius</i> L. | salsify |
| Berberidaceae | <i>Achlys californica</i> Fukuda & H.G. Baker | vanilla-leaf |
| Berberidaceae | <i>Achlys triphylla</i> (Sm.) DC. | vanilla-leaf |
| Berberidaceae | <i>Berberis aquifolium</i> Pursh | Oregon grape |
| Berberidaceae | <i>Berberis nervosa</i> Pursh | dwarf Oregon grape |
| Berberidaceae | <i>Vancouveria hexandra</i> (Hook.) C. Morren & Decne. | inside-out flower |
| Betulaceae | <i>Alnus rubra</i> Bong. | red alder |
| Betulaceae | <i>Alnus viridis</i> ssp. <i>sinuata</i> (Regel) Á. Löve & D. Löve | Sitka alder |
| Betulaceae | <i>Corylus cornuta</i> Marshall var. <i>californica</i> (A. DC.) Sharp | California hazelnut |
| Blechnaceae | <i>Blechnum spicant</i> (L.) Sm. | deer fern |
| Boraginaceae | <i>Amsinckia menziesii</i> (Lehm.) A. Nelson & J.F. Macbr. var. <i>interm</i> | rancher's fiddleneck |

| | | |
|---------------------|--|--------------------------|
| Boraginaceae | <i>Amsinckia menziesii</i> (Lehm.) A. Nelson & J.F. Macbr. var. <i>menziesii</i> | Menzies' fiddleneck |
| <i>Boraginaceae</i> | <i>Asperugo procumbens</i> L. | madwort |
| Boraginaceae | <i>Cryptantha affinis</i> (A. Gray) Greene | slender cryptantha |
| Boraginaceae | <i>Cryptantha intermedia</i> (A. Gray) Greene | common cryptantha |
| Boraginaceae | <i>Hydrophyllum capitatum</i> var. <i>capitatum</i> Douglas ex Benth. | ballhead waterleaf |
| Boraginaceae | <i>Hydrophyllum fendleri</i> var. <i>albifrons</i> (A. Heller) J.F. Macbr. | Fendler's waterleaf |
| Boraginaceae | <i>Hydrophyllum tenuipes</i> A. Heller | Pacific waterleaf |
| Boraginaceae | <i>Mertensia paniculata</i> (Aiton) G. Don var. <i>borealis</i> (J.F. Macbr.) L. | tall bluebells |
| <i>Boraginaceae</i> | <i>Myosotis arvensis</i> (L.) Hill | field forget-me-not |
| <i>Boraginaceae</i> | <i>Myosotis stricta</i> Link ex Roem. & Schult. | small forget-me-not |
| <i>Boraginaceae</i> | <i>Myosotis sylvatica</i> Ehrh. ex Hoffm. | woodland forget-me-not |
| Boraginaceae | <i>Nemophila parviflora</i> var. <i>parviflora</i> Douglas ex Benth. | small-flowered nemophila |
| Boraginaceae | <i>Phacelia hastata</i> var. <i>compacta</i> (Brand) Cronquist | silver-leaf phacelia |
| Boraginaceae | <i>Phacelia leptosepala</i> Rydb. | narrow-sepaled phacelia |
| Boraginaceae | <i>Phacelia mutabilis</i> Greene | changeable phacelia |
| Boraginaceae | <i>Phacelia nemoralis</i> ssp. <i>oregonensis</i> Heckard | shade phacelia |
| Boraginaceae | <i>Phacelia sericea</i> ssp. <i>sericea</i> (Graham) A. Gray | silky phacelia |
| Boraginaceae | <i>Plagiobothrys scouleri</i> (Hook. & Arn.) I.M. Johnst. var. <i>scouleri</i> | Scouler's popcorn flower |
| Boraginaceae | <i>Romanzoffia sitchensis</i> Bong. | Sitka mistmaiden |
| <i>Boraginaceae</i> | <i>Symphytum officinale</i> L. | comfrey |
| <i>Brassicaceae</i> | <i>Arabisopsis thaliana</i> (L.) Heynh. | common wall cress |
| Brassicaceae | <i>Arabis furcata</i> S. Watson | Cascade rockcress |
| Brassicaceae | <i>Arabis hirsuta</i> (L.) Scop. | hairy rockcress |
| Brassicaceae | <i>Barbarea orthoceras</i> Ledeb. | American wintercress |
| Brassicaceae | <i>Boechera lyallii</i> (S. Watson) Dorn | Lyall's rockcress |
| Brassicaceae | <i>Boechera retrofracta</i> (Graham) Á. Löve & D. Löve | Holboel's rockcress |
| Brassicaceae | <i>Boechera stricta</i> (Graham) Al-Shehbaz | Canadian rockcress |
| <i>Brassicaceae</i> | <i>Brassica nigra</i> (L.) W.D.J. Koch | black mustard |
| <i>Brassicaceae</i> | <i>Brassica rapa</i> L. | field mustard |
| <i>Brassicaceae</i> | <i>Capsella bursa-pastoris</i> (L.) Medik. | shepherd's purse |
| Brassicaceae | <i>Cardamine angulata</i> Hook. | angled bittercress |
| Brassicaceae | <i>Cardamine bellidifolia</i> L. | alpine bittercress |
| Brassicaceae | <i>Cardamine breweri</i> S. Watson | Brewer's bittercress |
| Brassicaceae | <i>Cardamine nuttallii</i> Greene | Nuttall's bittercress |

| | | |
|----------------------|---|--------------------------------|
| Brassicaceae | <i>Cardamine occidentalis</i> (S. Watson) Howell | western bittercress |
| Brassicaceae | <i>Cardamine oligosperma</i> Nutt. | little western bittercress |
| Brassicaceae | <i>Cardamine pennsylvanica</i> Muhl. ex Willd. | Pennsylvania bittercress |
| Brassicaceae | <i>Cardamine umbellata</i> Greene | Siberian bittercress |
| Brassicaceae | <i>Descurainia incisa</i> ssp. <i>incisa</i> (Engelm. ex A. Gray) Britton | mountain tansy-mustard |
| <i>Brassicaceae</i> | <i>Descurainia sophia</i> (L.) Webb ex Prantl | <i>herb Sophia</i> |
| Brassicaceae | <i>Draba aureola</i> S. Watson | golden draba |
| Brassicaceae | <i>Draba incerta</i> Payson | Yellowstone draba |
| Brassicaceae | <i>Draba lonchocarpa</i> Rydb. | spear-fruited draba |
| Brassicaceae | <i>Draba novolympica</i> Payson & H. St. John | Payson's draba |
| Brassicaceae | <i>Draba oligosperma</i> Hook. | few-seeded draba |
| Brassicaceae | <i>Draba ruaxes</i> Payson & H. St. John | Wind River draba |
| <i>Brassicaceae</i> | <i>Draba verna</i> L. | <i>spring draba</i> |
| Brassicaceae | <i>Erysimum arenicola</i> S. Watson | Cascade wallflower |
| Brassicaceae | <i>Erysimum capitatum</i> var. <i>capitatum</i> | sanddune wallflower |
| <i>Brassicaceae</i> | <i>Lepidium campestre</i> (L.) W.T. Aiton | <i>field peppergrass</i> |
| <i>Brassicaceae</i> | <i>Lepidium heterophyllum</i> Benth. | <i>purpleanther pepperweed</i> |
| <i>Brassicaceae</i> | <i>Lepidium perfoliatum</i> L. | <i>clasping peppergrass</i> |
| Brassicaceae | <i>Noccaea fendleri</i> ssp. <i>glauca</i> (A. Nelson) Al-Shehbaz & M. Koch | mountain pennycress |
| Brassicaceae | <i>Physaria alpestris</i> Suksd. | alpine twinpod |
| Brassicaceae | <i>Rorippa curvisiliqua</i> (Hook.) Bessey ex Britton | Western Yellowcress |
| <i>Brassicaceae</i> | <i>Sisymbrium altissimum</i> L. | <i>tumble mustard</i> |
| Brassicaceae | <i>Sisymbrium officinale</i> (L.) Scop. | hedge mustard |
| Brassicaceae | <i>Smelowskia americana</i> Rydb. | alpine smelowskia |
| Brassicaceae | <i>Smelowskia ovalis</i> M.E. Jones | small-fruit smelowskia |
| <i>Brassicaceae</i> | <i>Teesdalia nudicaulis</i> (L.) W.T. Aiton | <i>teesdalia</i> |
| <i>Brassicaceae</i> | <i>Thlaspi arvense</i> L. | <i>field pennycress</i> |
| Brassicaceae | <i>Turritis glabra</i> L. | tower mustard |
| <i>Campanulaceae</i> | <i>Campanula persicifolia</i> L. | <i>peach-leaf bluebells</i> |
| <i>Campanulaceae</i> | <i>Campanula rapunculoides</i> L. | <i>creeping bellflower</i> |
| Campanulaceae | <i>Campanula rotundifolia</i> L. | Scots bluebells |
| Campanulaceae | <i>Campanula scouleri</i> Hook. ex A. DC. | Scouler's harebell |
| Campanulaceae | <i>Heterocodon rariflorum</i> Nutt. | Western Pearlflower |
| Caprifoliaceae | <i>Lonicera ciliosa</i> (Pursh) Poir. ex DC. | orange honeysuckle |

| | | |
|-----------------|--|---------------------------------|
| Caprifoliaceae | Lonicera involucrata var. involucrata (Richardson) Banks ex Spr | twinberry honeysuckle |
| Caprifoliaceae | Lonicera utahensis S. Watson | Utah honeysuckle |
| Caprifoliaceae | Symphoricarpos albus var. albus (L.) S.F. Blake | snowberry |
| Caprifoliaceae | Symphoricarpos hesperius G.N. Jones | creeping snowberry |
| Caryophyllaceae | Arenaria serpyllifolia var. serpyllifolia L. | thyme-leaf sandwort |
| Caryophyllaceae | Cerastium arvense ssp. strictum (L.) Ugbor. | field chickweed |
| Caryophyllaceae | <i>Cerastium fontanum ssp. vulgare (Hartm.) Greuter & Burdet</i> | <i>mouse-ear chickweed</i> |
| Caryophyllaceae | <i>Cerastium glomeratum Thuill.</i> | <i>sticky chickweed</i> |
| Caryophyllaceae | <i>Dianthus armeria ssp. armeria L.</i> | <i>grass pink</i> |
| Caryophyllaceae | <i>Dianthus barbatus ssp. barbatus L.</i> | <i>sweet William</i> |
| Caryophyllaceae | Eremogone capillaris var. americana (Maguire) R.L. Hartm. & R | slender mountain sandwort |
| Caryophyllaceae | Minuartia nuttallii var. nuttallii (Pax) Briq. | Nuttall's sandwort |
| Caryophyllaceae | Minuartia obtusiloba (Rydb.) House | alpine sandwort |
| Caryophyllaceae | Minuartia rubella (Wahlenb.) Hiern | boreal sandwort |
| Caryophyllaceae | Moehringia macrophylla (Hook.) Fenzl | broad-eaf sandwort |
| Caryophyllaceae | Pseudostellaria jamesiana (Torr.) W.A. Weber & R.L. Hartm. | large-leaf sandwort |
| Caryophyllaceae | Sagina decumbens ssp. occidentalis (S. Watson) G.E. Crow | western pearlwort |
| Caryophyllaceae | <i>Sagina procumbens L.</i> | <i>pearlwort</i> |
| Caryophyllaceae | Sagina saginoides (L.) H. Karst. | alpine pearlwort |
| Caryophyllaceae | Silene acaulis (L.) Jacq. | moss campion |
| Caryophyllaceae | <i>Silene antirrhina L.</i> | <i>sleepy catchfly</i> |
| Caryophyllaceae | Silene douglasii var. douglasii Hook. | Douglas's catchfly |
| Caryophyllaceae | <i>Silene latifolia Poir.</i> | <i>white campion</i> |
| Caryophyllaceae | Silene menziesii Hook. | white catchfly |
| Caryophyllaceae | <i>Silene noctiflora L.</i> | <i>night-flowering catchfly</i> |
| Caryophyllaceae | Silene oregana S. Watson | Oregon catchfly |
| Caryophyllaceae | Silene parryi (S. Watson) C.L. Hitchc. & Maguire | Parry's catchfly |
| Caryophyllaceae | Silene suksdorfii B.L. Rob. | Cascade catchfly |
| Caryophyllaceae | <i>Silene vulgaris (Moench) Garcke</i> | <i>bladder campion</i> |
| Caryophyllaceae | <i>Spergula arvensis L.</i> | <i>cornspurry</i> |
| Caryophyllaceae | <i>Spergularia diandra (Guss.) Held. & Sart.</i> | <i>alkali sandspurry</i> |
| Caryophyllaceae | <i>Spergularia rubra (L.) J. Presl & C. Presl</i> | <i>red sandspurry</i> |
| Caryophyllaceae | Stellaria borealis Bigelow ssp. sitchana (Steud.) Piper | boreal starwort |
| Caryophyllaceae | Stellaria calycantha (Ledeb.) Bong. | northern starwort |

| | | |
|-----------------|--|----------------------------|
| Caryophyllaceae | <i>Stellaria crispa</i> Cham. & Schldl. | crisped starwort |
| Caryophyllaceae | <i>Stellaria graminea</i> L. | lesser starwort |
| Caryophyllaceae | <i>Stellaria longipes</i> ssp. <i>longipes</i> Goldie | long-stalked starwort |
| Caryophyllaceae | <i>Stellaria media</i> (L.) Vill. | common chickweed |
| Caryophyllaceae | <i>Stellaria nitens</i> Nutt. | shining chickweed |
| Caryophyllaceae | <i>Vaccaria hispanica</i> (Mill.) Rauschert | cowcockle |
| Celastraceae | <i>Parnassia fimbriata</i> K.D. Koenig | fringed grass-of-Parnassus |
| Celastraceae | <i>Paxistima myrsinites</i> (Pursh) Raf. | mountain-boxwood |
| Chenopodiaceae | <i>Chenopodium album</i> L. | lamb's quarters |
| Clusiaceae | <i>Hypericum anagalloides</i> Cham. & Schldl. | tinker's penny |
| Clusiaceae | <i>Hypericum perforatum</i> L. | Klamath weed |
| Cornaceae | <i>Cornus nuttallii</i> Audubon | Pacific dogwood |
| Cornaceae | <i>Cornus sericea</i> ssp. <i>sericea</i> L. | creek dogwood |
| Cornaceae | <i>Cornus unalaschensis</i> Ledeb. | bunchberry |
| Crassulaceae | <i>Rhodiola integrifolia</i> ssp. <i>integrifolia</i> Raf. | king's-crown |
| Crassulaceae | <i>Sedum divergens</i> S. Watson | spreading stonecrop |
| Crassulaceae | <i>Sedum lanceolatum</i> Torr. var. <i>lanceolatum</i> | lance-leaf stonecrop |
| Crassulaceae | <i>Sedum oreganum</i> var. <i>oreganum</i> Nutt. | Oregon stonecrop |
| Cupressaceae | <i>Callitropsis nootkatensis</i> (D. Don) D.P. Little | Nootka cedar |
| Cupressaceae | <i>Juniperus communis</i> var. <i>montana</i> Aiton | common juniper |
| Cupressaceae | <i>Thuja plicata</i> Donn ex D. Don | western red cedar |
| Cyperaceae | <i>Carex albonigra</i> Mack. | black-and-white sedge |
| Cyperaceae | <i>Carex amplifolia</i> Boott | big-leaf sedge |
| Cyperaceae | <i>Carex aquatilis</i> var. <i>aquatilis</i> Wahlenb. | water sedge |
| Cyperaceae | <i>Carex aquatilis</i> var. <i>dives</i> (T. Holm) Kük. | Sitka sedge |
| Cyperaceae | <i>Carex arcta</i> Boott | northern cluster sedge |
| Cyperaceae | <i>Carex aurea</i> Nutt. | golden sedge |
| Cyperaceae | <i>Carex brunnescens</i> ssp. <i>brunnescens</i> (Pers.) Poir. | brown sedge |
| Cyperaceae | <i>Carex canescens</i> ssp. <i>canescens</i> L. | gray sedge |
| Cyperaceae | <i>Carex cusickii</i> Mack. ex Piper & Beattie | Cusick's sedge |
| Cyperaceae | <i>Carex deweyana</i> var. <i>deweyana</i> Schwein. | Dewey's sedge |
| Cyperaceae | <i>Carex echinata</i> ssp. <i>echinata</i> Murray | bristly sedge |
| Cyperaceae | <i>Carex engelmannii</i> L.H. Bailey | Engelmann's sedge |
| Cyperaceae | <i>Carex exsiccata</i> L.H. Bailey | inflated sedge |

| | | |
|------------|--|-----------------------------|
| Cyperaceae | <i>Carex geyeri</i> Boott | elk sedge |
| Cyperaceae | <i>Carex hendersonii</i> L.H. Bailey | Henderson's sedge |
| Cyperaceae | <i>Carex hoodii</i> Boott | Hood's sedge |
| Cyperaceae | <i>Carex illota</i> L.H. Bailey | sheep sedge |
| Cyperaceae | <i>Carex laeviculmis</i> Meinsh. | smooth-stem sedge |
| Cyperaceae | <i>Carex lenticularis</i> var. <i>lipocarpa</i> (T. Holm) L.A. Standl. | lakeshore sedge |
| Cyperaceae | <i>Carex leporinella</i> Mack. | little hare sedge |
| Cyperaceae | <i>Carex leptalea</i> Wahlenb. | flaccid sedge |
| Cyperaceae | <i>Carex limosa</i> L. | mud sedge |
| Cyperaceae | <i>Carex luzulina</i> Olney | woodrush sedge |
| Cyperaceae | <i>Carex mertensii</i> J.D. Prescott ex Bong. | Mertens's sedge |
| Cyperaceae | <i>Carex micropoda</i> C. A. Mey. | Pyrenaean sedge |
| Cyperaceae | <i>Carex microptera</i> Mack. | small-wing sedge |
| Cyperaceae | <i>Carex nardina</i> Fr. | spikenard sedge |
| Cyperaceae | <i>Carex neurophora</i> Mack. | alpine nerved sedge |
| Cyperaceae | <i>Carex nigricans</i> C.A. Mey. | black alpine sedge |
| Cyperaceae | <i>Carex nudata</i> W. Boott | torrent sedge |
| Cyperaceae | <i>Carex obnupta</i> L.H. Bailey | slough sedge |
| Cyperaceae | <i>Carex pachystachya</i> Cham. ex Steud. | thick-headed sedge |
| Cyperaceae | <i>Carex paysonis</i> Clokey | Payson's sedge |
| Cyperaceae | <i>Carex pellita</i> Muhl. ex Willd. | wooly sedge |
| Cyperaceae | <i>Carex phaeocephala</i> Piper | dunhead sedge |
| Cyperaceae | <i>Carex praegracilis</i> W. Boott | clustered field sedge |
| Cyperaceae | <i>Carex praticola</i> Rydb. | meadow sedge |
| Cyperaceae | <i>Carex preslii</i> Steud. | Presl's sedge |
| Cyperaceae | <i>Carex raynoldsii</i> Dewey | Raynolds's sedge |
| Cyperaceae | <i>Carex rossii</i> Boott | Ross's sedge |
| Cyperaceae | <i>Carex scirpoidea</i> ssp. <i>stenochlaena</i> | northern single-spike sedge |
| Cyperaceae | <i>Carex scopulorum</i> var. <i>bracteosa</i> (L.H. Bailey) F.J. Herm. | Rocky Mountain sedge |
| Cyperaceae | <i>Carex spectabilis</i> Dewey | showy sedge |
| Cyperaceae | <i>Carex stipata</i> Muhl. ex Willd. var. <i>stipata</i> | sawbeak sedge |
| Cyperaceae | <i>Carex utriculata</i> Boott | bladder sedge |
| Cyperaceae | <i>Eleocharis obtusa</i> (Willd.) Schult. | ovate spike-rush |
| Cyperaceae | <i>Eleocharis quinqueflora</i> (Hartmann) O. Schwarz | few-flowered spike-rush |

| | | |
|------------------|---|----------------------------|
| Cyperaceae | <i>Eriophorum angustifolium</i> ssp. <i>angustifolium</i> Honck. | narrow-leaved cotton-grass |
| Cyperaceae | <i>Eriophorum chamissonis</i> C.A. Mey. | Chamisso's cotton-grass |
| Cyperaceae | <i>Eriophorum gracile</i> W.D.J. Koch | slender cotton-grass |
| Cyperaceae | <i>Scirpus microcarpus</i> J. Presl & C. Presl | tufted clubrush |
| Cyperaceae | <i>Trichophorum cespitosum</i> (L.) Hartm. | small-fruited bulrush |
| Dennstaedtiaceae | <i>Pteridium aquilinum</i> (L.) Kuhn var. <i>pubescens</i> Underw. | northern bracken |
| Droseraceae | <i>Drosera rotundifolia</i> L. | round-leaved sundew |
| Dryopteridaceae | <i>Dryopteris expansa</i> (C. Presl) Fraser-Jenk. & Jermy | spreading wood fern |
| Dryopteridaceae | <i>Dryopteris filix-mas</i> (L.) Schott | male fern |
| Dryopteridaceae | <i>Polystichum andersonii</i> Hopkins | Anderson's sword fern |
| Dryopteridaceae | <i>Polystichum imbricans</i> ssp. <i>imbricans</i> (D.C. Eaton) D.H. Wagner | imbricate sword fern |
| Dryopteridaceae | <i>Polystichum kruckebergii</i> W.H. Wagner | Kruckeberg's holly fern |
| Dryopteridaceae | <i>Polystichum lonchitis</i> (L.) Roth | mountain holly fern |
| Dryopteridaceae | <i>Polystichum munitum</i> (Kaulf.) C. Presl | western sword fern |
| Equisetaceae | <i>Equisetum arvense</i> L. | field horsetail |
| Equisetaceae | <i>Equisetum fluviatile</i> L. | swamp horsetail |
| Equisetaceae | <i>Equisetum hyemale</i> L. | scouring-rush |
| Equisetaceae | <i>Equisetum palustre</i> L. | marsh horsetail |
| Equisetaceae | <i>Equisetum telmateia</i> ssp. <i>braunii</i> (Milde) Hauke | giant horsetail |
| Equisetaceae | <i>Equisetum variegatum</i> Schleich. ex F. Weber & D. Mohr ssp. var. | northern scouring-rush |
| Ericaceae | <i>Allotropa virgata</i> Torr. & A. Gray ex A. Gray | candystick |
| Ericaceae | <i>Arctostaphylos columbiana</i> Piper | bristly manzanita |
| Ericaceae | <i>Arctostaphylos nevadensis</i> ssp. <i>nevadensis</i> A. Gray | pinemat manzanita |
| Ericaceae | <i>Arctostaphylos uva-ursi</i> (L.) Spreng. | kinnikinnick |
| Ericaceae | <i>Cassiope mertensiana</i> var. <i>mertensiana</i> (Bong.) G. Don | white mountain-heather |
| Ericaceae | <i>Chimaphila menziesii</i> (D. Don) Spreng. | little pipsissewa |
| Ericaceae | <i>Chimaphila umbellata</i> (L.) W. Bart. ssp. <i>umbellata</i> | pipsissewa |
| Ericaceae | <i>Empetrum nigrum</i> L. | black crowberry |
| Ericaceae | <i>Gaultheria humifusa</i> (Graham) Rydb. | alpine wintergreen |
| Ericaceae | <i>Gaultheria ovatifolia</i> A. Gray | slender wintergreen |
| Ericaceae | <i>Gaultheria shallon</i> Pursh | salal |
| Ericaceae | <i>Harrimanella stelleriana</i> (Pall.) Coville | Alaska cassiope |
| Ericaceae | <i>Hemitomes congestum</i> A. Gray | gnome-plant |
| Ericaceae | <i>Kalmia microphylla</i> var. <i>microphylla</i> (Hook.) A. Heller | alpine laurel |

| | | |
|-----------|--|----------------------------|
| Ericaceae | <i>Kalmia microphylla</i> var. <i>occidentalis</i> (Small) Ebinger | alpine laurel |
| Ericaceae | <i>Menziesia ferruginea</i> Sm. | fool's huckleberry |
| Ericaceae | <i>Moneses uniflora</i> (L.) A. Gray | wood nymph |
| Ericaceae | <i>Monotropa hypopitys</i> L. | pinemap |
| Ericaceae | <i>Monotropa uniflora</i> L. | Indian-pipe |
| Ericaceae | <i>Orthilia secunda</i> (L.) House | sidebells wintergreen |
| Ericaceae | <i>Phyllodoce empetriformis</i> (Sm.) D. Don | pink heather |
| Ericaceae | <i>Phyllodoce glanduliflora</i> (Hook.) Coville | yellow heather |
| Ericaceae | <i>Pleuricospora fimbriolata</i> A. Gray | fringed pinemap |
| Ericaceae | <i>Pterospora andromedea</i> Nutt. | pinemap |
| Ericaceae | <i>Pyrola asarifolia</i> ssp. <i>asarifolia</i> Michx. | pink wintergreen |
| Ericaceae | <i>Pyrola asarifolia</i> ssp. <i>bracteata</i> (Hook.) Haber | pink wintergreen |
| Ericaceae | <i>Pyrola chlorantha</i> Sw. | green-flowered wintergreen |
| Ericaceae | <i>Pyrola minor</i> L. | lesser wintergreen |
| Ericaceae | <i>Pyrola picta</i> Sm. | white-veined shinleaf |
| Ericaceae | <i>Rhododendron albiflorum</i> Hook. | white rhododendron |
| Ericaceae | <i>Rhododendron groenlandicum</i> (Oeder) Kron & Judd | bog Labrador tea |
| Ericaceae | <i>Vaccinium deliciosum</i> Piper | Rainier blueberry |
| Ericaceae | <i>Vaccinium membranaceum</i> Douglas ex Torr. | thinleaf huckleberry |
| Ericaceae | <i>Vaccinium myrtillus</i> L. | dwarf bilberry |
| Ericaceae | <i>Vaccinium ovalifolium</i> Sm. | early blueberry |
| Ericaceae | <i>Vaccinium ovatum</i> Pursh | evergreen huckleberry |
| Ericaceae | <i>Vaccinium oxycoccos</i> L. | cranberry |
| Ericaceae | <i>Vaccinium parvifolium</i> Sm. | red huckleberry |
| Ericaceae | <i>Vaccinium scoparium</i> Leiberg ex Coville | grouse whortleberry |
| Fabaceae | <i>Acmispon americanus</i> var. <i>americanus</i> (Nutt.) Rydb. | Spanish-clover |
| Fabaceae | <i>Acmispon parviflorus</i> (Benth.) D.D. Sokoloff | small-flowered lotus |
| Fabaceae | <i>Astragalus alpinus</i> var. <i>alpinus</i> L. | alpine locoweed |
| Fabaceae | <i>Cytisus scoparius</i> (L.) Link | Scot's broom |
| Fabaceae | <i>Lathyrus latifolius</i> L. | everlasting peavine |
| Fabaceae | <i>Lathyrus nevadensis</i> var. <i>nevadensis</i> S. Watson | Nuttall's peavine |
| Fabaceae | <i>Lathyrus polyphyllus</i> Nutt. | leafy peavine |
| Fabaceae | <i>Lathyrus sylvestris</i> L. | small everlasting peavine |
| Fabaceae | <i>Lotus corniculatus</i> L. | birdsfoot-trefoil |

| | | |
|-----------------|--|----------------------------------|
| Fabaceae | Lupinus bicolor Lindl. | dwarf lupine |
| Fabaceae | Lupinus latifolius Lindl. ex J.G. Agardh var. latifolius | broad-leaf lupine |
| Fabaceae | Lupinus latifolius Lindl. ex J.G. Agardh var. subalpinus (Piper and subalpine lupine | |
| Fabaceae | Lupinus lepidus Dougl. ex Lindl. var. lobbii (Gray) C.L. Hitchcock | riverbank lupine |
| Fabaceae | Lupinus rivularis Douglas ex Lindl. | field lupine |
| Fabaceae | Lupinus sericeus Pursh var. sericeus | silky lupine |
| Fabaceae | <i>Medicago lupulina</i> L. | <i>black medick</i> |
| Fabaceae | <i>Medicago sativa</i> ssp. <i>sativa</i> L. | <i>alfalfa</i> |
| Fabaceae | <i>Melilotus albus</i> Medik. | <i>white sweet-clover</i> |
| Fabaceae | <i>Melilotus indicus</i> (L.) All. | <i>yellow sweet-clover</i> |
| Fabaceae | Oxytropis campestris (L.) DC. var. gracilis (A. Nels.) Barneby | northern yellow locoweed |
| Fabaceae | <i>Trifolium arvense</i> L. | <i>rabbitfoot clover</i> |
| Fabaceae | <i>Trifolium aureum</i> Pollich | <i>golden clover</i> |
| Fabaceae | <i>Trifolium dubium</i> Sibth. | <i>little hop-clover</i> |
| Fabaceae | <i>Trifolium hybridum</i> L. | <i>alsike clover</i> |
| Fabaceae | <i>Trifolium pratense</i> L. | <i>red clover</i> |
| Fabaceae | <i>Trifolium repens</i> L. | <i>white clover</i> |
| Fabaceae | Vicia americana Muhl. ex Willd. var. americana | American vetch |
| Fabaceae | <i>Vicia sativa</i> ssp. <i>nigra</i> (L.) Ehrh. | <i>common vetch</i> |
| Fabaceae | <i>Vicia tetrasperma</i> (L.) Schreb. | <i>slender vetch</i> |
| Gentianaceae | Gentiana calycosa Griseb. | Rainier pleated gentian |
| Geraniaceae | <i>Erodium cicutarium</i> ssp. <i>cicutarium</i> (L.) L'Hér. ex Aiton | <i>filaree</i> |
| Geraniaceae | <i>Geranium carolinianum</i> var. <i>carolinianum</i> L. | <i>Carolina geranium</i> |
| Geraniaceae | <i>Geranium molle</i> L. | <i>dove-foot geranium</i> |
| Geraniaceae | <i>Geranium pusillum</i> L. | <i>small-flowered cranesbill</i> |
| Geraniaceae | <i>Geranium robertianum</i> ssp. <i>robertianum</i> L. | <i>stinky Bob</i> |
| Grossulariaceae | Ribes acerifolium Howell | mapleleaf currant |
| Grossulariaceae | Ribes bracteosum Douglas ex Hook. | stink currant |
| Grossulariaceae | Ribes divaricatum var. divaricatum Douglas | straggly gooseberry |
| Grossulariaceae | Ribes lacustre (Pers.) Poir. | swamp gooseberry |
| Grossulariaceae | Ribes laxiflorum Pursh | trailing black currant |
| Grossulariaceae | Ribes lobbii A. Gray | gummy gooseberry |
| Grossulariaceae | Ribes sanguineum var. sanguineum Pursh | red-flowering currant |
| Grossulariaceae | Ribes triste Pall. | swamp red currant |

| | | |
|-----------------|---|--------------------------|
| Grossulariaceae | <i>Ribes viscosissimum</i> Pursh | sticky currant |
| Grossulariaceae | <i>Ribes watsonianum</i> Koehne | spiny gooseberry |
| Hydrangeaceae | <i>Philadelphus lewisii</i> Pursh | Lewis's mock orange |
| Hydrangeaceae | <i>Whipplea modesta</i> Torr. | yerba de selva |
| Iridaceae | <i>Iris missouriensis</i> Nutt. | Missouri iris |
| Iridaceae | <i>Sisyrinchium idahoense</i> var. <i>macounii</i> (E.P. Bicknell) Douglass | blue-eyed grass |
| Isoetaceae | <i>Isoetes bolanderi</i> Engelm. | Bolander's quillwort |
| Isoetaceae | <i>Isoetes tenella</i> Léman | Bristle-like quillwort |
| Juncaceae | <i>Juncus articulatus</i> L. | jointed rush |
| Juncaceae | <i>Juncus balticus</i> ssp. <i>ater</i> (Rydb.) Snogerup | Baltic rush |
| Juncaceae | <i>Juncus bufonius</i> L. | toad rush |
| Juncaceae | <i>Juncus covillei</i> Piper | Coville's rush |
| Juncaceae | <i>Juncus drummondii</i> E. Mey. | Drummond's rush |
| Juncaceae | <i>Juncus effusus</i> var. <i>effusus</i> L. | soft rush |
| Juncaceae | <i>Juncus ensifolius</i> Wikstr. | dagger-leaf rush |
| Juncaceae | <i>Juncus filiformis</i> L. | thread rush |
| Juncaceae | <i>Juncus laccatus</i> Zika | common rush |
| Juncaceae | <i>Juncus mertensianus</i> Bong. | Mertens's rush |
| Juncaceae | <i>Juncus parryi</i> Engelm. | Parry's rush |
| Juncaceae | <i>Juncus regelii</i> Buchenau | Regel's rush |
| Juncaceae | <i>Juncus tenuis</i> Willd. | slender rush |
| Juncaceae | <i>Luzula arcuata</i> ssp. <i>unalaschkensis</i> (Buchenau) Hultén | alpine wood-rush |
| Juncaceae | <i>Luzula comosa</i> E. Mey. | field wood-rush |
| Juncaceae | <i>Luzula hitchcockii</i> Hämet-Ahti | Hitchcock's wood-rush |
| Juncaceae | <i>Luzula multiflora</i> (Ehrh.) Lej. | many-flowered wood-rush |
| Juncaceae | <i>Luzula parviflora</i> (Ehrh.) Desv. | small-flowered wood-rush |
| Juncaceae | <i>Luzula piperi</i> (Coville) M.E. Jones | Piper's wood-rush |
| Juncaceae | <i>Luzula spicata</i> (L.) DC. | spiked wood-rush |
| Lamiaceae | <i>Ajuga reptans</i> L. | bugleweed |
| Lamiaceae | <i>Clinopodium douglasii</i> (Benth.) Kuntze | yerba buena |
| Lamiaceae | <i>Glechoma hederacea</i> L. | ground-ivy |
| Lamiaceae | <i>Lamium amplexicaule</i> L. | dead-nettle |
| Lamiaceae | <i>Lycopus uniflorus</i> var. <i>uniflorus</i> Michx. | northern bugleweed |
| Lamiaceae | <i>Mentha aquatica</i> L. | water mint |

| | | |
|------------------|---|-------------------------------|
| Lamiaceae | <i>Mentha arvensis</i> L. | field mint |
| Lamiaceae | <i>Mentha spicata</i> L. | spearmint |
| Lamiaceae | <i>Mentha X piperita</i> L. (pro. sp.) | peppermint |
| Lamiaceae | <i>Monardella odoratissima</i> ssp. <i>discolor</i> (Greene) Epling | mountain monardella |
| Lamiaceae | <i>Nepeta cataria</i> L. | catnip |
| Lamiaceae | <i>Prunella vulgaris</i> ssp. <i>lanceolata</i> (W. Bartram) Hultén | self-heal |
| Lamiaceae | <i>Prunella vulgaris</i> ssp. <i>vulgaris</i> L. | self-heal |
| Lamiaceae | <i>Stachys cooleyae</i> Heller | Cooley's hedge-nettle |
| Lamiaceae | <i>Thymus praecox</i> ssp. <i>arcticus</i> (Durand) Jalas | thyme |
| Lentibulariaceae | <i>Pinguicula vulgaris</i> L. | common butterwort |
| Liliaceae | <i>Clintonia uniflora</i> (Menzies ex Schult. & Schult. f.) Kunth | bride's bonnet |
| Liliaceae | <i>Erythronium grandiflorum</i> ssp. <i>grandiflorum</i> Pursh | glacier lily |
| Liliaceae | <i>Erythronium montanum</i> S. Watson | avalanche lily |
| Liliaceae | <i>Fritillaria affinis</i> (Schult.) Sealy | chocolate-lily |
| Liliaceae | <i>Lilium columbianum</i> Leichtlin ex Duch. | Columbia lily |
| Liliaceae | <i>Lloydia serotina</i> (L.) Salisb. ex Rchb. var. <i>serotina</i> | alpine lily |
| Liliaceae | <i>Prosartes hookeri</i> Torr. | Hooker's fairy-bells |
| Liliaceae | <i>Prosartes smithii</i> (Hook.) Utech, Shinwari & Kawano | large-flowered fairy-bells |
| Liliaceae | <i>Streptopus amplexifolius</i> (L.) DC. | clasping-leaved twisted stalk |
| Liliaceae | <i>Streptopus lanceolatus</i> (Ait.) Reveal | rosy twisted stalk |
| Liliaceae | <i>Streptopus streptopoides</i> (Ledeb.) Frye & Rigg | small twisted stalk |
| Linnaeaceae | <i>Linnaea borealis</i> var. <i>longiflora</i> Torr. | twinflower |
| Lycopodiaceae | <i>Huperzia haleakalae</i> (Brack.) Holub | alpine fir-moss |
| Lycopodiaceae | <i>Huperzia miyoshiana</i> (Makino) Ching | Pacific fir-moss |
| Lycopodiaceae | <i>Huperzia occidentalis</i> (Clute) Kartesz & Gandhi | western fir-moss |
| Lycopodiaceae | <i>Lycopodium alpinum</i> L. | alpine clubmoss |
| Lycopodiaceae | <i>Lycopodium annotinum</i> L. | stiff clubmoss |
| Lycopodiaceae | <i>Lycopodium clavatum</i> L. | running ground-pine |
| Lycopodiaceae | <i>Lycopodium complanatum</i> L. | ground-cedar |
| Lycopodiaceae | <i>Lycopodium sitchense</i> Rupr. | Alaska clubmoss |
| Malvaceae | <i>Malva moschata</i> L. | musk mallow |
| Malvaceae | <i>Malva neglecta</i> Wallr. | dwarf mallow |
| Malvaceae | <i>Malva parviflora</i> L. | cheeseweed |
| Melanthiaceae | <i>Anticlea occidentalis</i> (A. Gray) Zomlefer & Judd | bronze bells |

| | | |
|---------------|--|----------------------------|
| Melanthiaceae | <i>Toxicoscordion venenosum</i> var. <i>venosum</i> (S. Watson) Rydb. | death-camas |
| Melanthiaceae | <i>Trillium ovatum</i> var. <i>ovatum</i> Pursh | western trillium |
| Melanthiaceae | <i>Veratrum californicum</i> var. <i>caudatum</i> (A. Heller) C.L. Hitchc. | white false hellebore |
| Melanthiaceae | <i>Veratrum viride</i> Ait. var. <i>eschscholziaenum</i> (Roemer & Schultes) E | green false hellebore |
| Melanthiaceae | <i>Xerophyllum tenax</i> (Pursh) Nutt. | beargrass |
| Menyanthaceae | <i>Menyanthes trifoliata</i> L. | buckbean |
| Montiaceae | <i>Calyptridium umbellatum</i> (Torr.) Greene | pussypaws |
| Montiaceae | <i>Claytonia cordifolia</i> S. Watson | broad-leaved spring beauty |
| Montiaceae | <i>Claytonia lanceolata</i> Pall. ex Pursh | spring beauty |
| Montiaceae | <i>Claytonia perfoliata</i> ssp. <i>perfoliata</i> Donn ex Willd. | miner's lettuce |
| Montiaceae | <i>Claytonia rubra</i> ssp. <i>rubra</i> (Howell) Tidestr. | red miner's lettuce |
| Montiaceae | <i>Claytonia sibirica</i> L. | candyflower |
| Montiaceae | <i>Lewisia columbiana</i> var. <i>rupicola</i> (English) C.L. Hitchc. | rock lewisia |
| Montiaceae | <i>Lewisia pygmaea</i> (A. Gray) B.L. Rob. | dwarf lewisia |
| Montiaceae | <i>Lewisia triphylla</i> (S. Watson) B.L. Rob. | three-leaf lewisia |
| Montiaceae | <i>Montia fontana</i> L. | water-chickweed |
| Montiaceae | <i>Montia linearis</i> (Douglas ex Hook.) Greene | narrow-leaved montia |
| Montiaceae | <i>Montia parvifolia</i> (Moc. ex DC.) Greene | little-leaf montia |
| Nymphaeaceae | <i>Nuphar polysepala</i> Engelm. | yellow pond lily |
| Onagraceae | <i>Chamerion angustifolium</i> ssp. <i>angustifolium</i> (L.) Holub | fireweed |
| Onagraceae | <i>Chamerion latifolium</i> (L.) Holub | red willow-herb |
| Onagraceae | <i>Circaea alpina</i> ssp. <i>pacifica</i> (Asch. & Magnus) P.H. Raven | enchanter's nightshade |
| Onagraceae | <i>Epilobium anagallidifolium</i> Lam. | alpine willow-herb |
| Onagraceae | <i>Epilobium brachycarpum</i> C. Presl | autumn willow-herb |
| Onagraceae | <i>Epilobium ciliatum</i> ssp. <i>ciliatum</i> Raf. | common willow-herb |
| Onagraceae | <i>Epilobium ciliatum</i> ssp. <i>glandulosum</i> (Lehm.) Hoch & P.H. Raven | common willow-herb |
| Onagraceae | <i>Epilobium clavatum</i> Trel. | club-pod willow-herb |
| Onagraceae | <i>Epilobium densiflorum</i> (Lindl.) Hoch & P.H. Raven | dense-flowered willow-herb |
| Onagraceae | <i>Epilobium glaberrimum</i> ssp. <i>fastigiatum</i> (Nutt.) Hoch & P.H. Raven | glaucous willow-herb |
| Onagraceae | <i>Epilobium glaberrimum</i> ssp. <i>glaberrimum</i> Barbey | glaucous willow-herb |
| Onagraceae | <i>Epilobium halleanum</i> Hausskn. | Hall's willow-herb |
| Onagraceae | <i>Epilobium hornemannii</i> ssp. <i>hornemannii</i> Rchb. | Hornemann's willow-herb |
| Onagraceae | <i>Epilobium lactiflorum</i> Hausskn. | white willow-herb |
| Onagraceae | <i>Epilobium luteum</i> Pursh | yellow willow-herb |

| | | |
|-----------------|--|----------------------------|
| Onagraceae | <i>Epilobium minutum</i> Lindl. ex Lehm. | small-flowered willow-herb |
| Onagraceae | <i>Epilobium oregonense</i> Hausskn. | Oregon willow-herb |
| Onagraceae | <i>Epilobium X pulchrum</i> Suksd. (pro. sp.) | hybrid willow-herb |
| Onagraceae | <i>Gayophytum ramosissimum</i> Torr. & A. Gray | groundsmoke |
| Ophioglossaceae | <i>Botrychium lanceolatum</i> ssp. <i>lanceolatum</i> (S.G. Gmel.) Ångstr. | lance-leaved moonwort |
| Ophioglossaceae | <i>Botrychium minganense</i> Vict. | Mingan moonwort |
| Ophioglossaceae | <i>Botrychium pinnatum</i> H. St. John | northwestern moonwort |
| Ophioglossaceae | <i>Botrychium simplex</i> E. Hitchc. | little grapefern |
| Ophioglossaceae | <i>Sceptridium multifidum</i> (Gmel.) Tagawa | leathery grapefern |
| Orchidaceae | <i>Calypso bulbosa</i> var. <i>occidentalis</i> (Holz.) B. Boivin | calypso |
| Orchidaceae | <i>Cephalanthera austini</i> (A. Gray) A. Heller | phantom orchid |
| Orchidaceae | <i>Corallorhiza maculata</i> var. <i>occidentalis</i> (Lindl.) Ames | spotted coralroot |
| Orchidaceae | <i>Corallorhiza mertensiana</i> Bong. | western coralroot |
| Orchidaceae | <i>Corallorhiza striata</i> var. <i>striata</i> Lindl. | striped coralroot |
| Orchidaceae | <i>Corallorhiza trifida</i> Châtel. | early coralroot |
| Orchidaceae | <i>Goodyera oblongifolia</i> Raf. | rattlesnake-plantain |
| Orchidaceae | <i>Listera caurina</i> Piper | western twayblade |
| Orchidaceae | <i>Listera convallarioides</i> (Sw.) Nutt. ex Eil. | broad-lipped twayblade |
| Orchidaceae | <i>Listera cordata</i> (L.) R. Br. | heart-leaf twayblade |
| Orchidaceae | <i>Piperia elegans</i> (Lindl.) Rydb. ssp. <i>elegans</i> | elegant rein-orchid |
| Orchidaceae | <i>Piperia unalascensis</i> (Spreng.) Rydb. | Alaska rein-orchid |
| Orchidaceae | <i>Platanthera dilatata</i> var. <i>dilatata</i> (Pursh) Lindl. ex L.C. Beck | dilated bog orchid |
| Orchidaceae | <i>Platanthera dilatata</i> var. <i>leucostachys</i> (Lindl.) Luer | white bog orchid |
| Orchidaceae | <i>Platanthera stricta</i> Lindl. | slender bog orchid |
| Orchidaceae | <i>Spiranthes romanzoffiana</i> Cham. | hooded ladies' tresses |
| Orobanchaceae | <i>Castilleja cryptantha</i> Pennell & G.N. Jones | Mount Rainier paintbrush |
| Orobanchaceae | <i>Castilleja hispida</i> ssp. <i>hispida</i> Benth. | harsh paintbrush |
| Orobanchaceae | <i>Castilleja miniata</i> ssp. <i>miniata</i> Douglas ex Hook. | scarlet paintbrush |
| Orobanchaceae | <i>Castilleja parviflora</i> var. <i>oreopola</i> (Greenm.) Ownbey | magenta paintbrush |
| Orobanchaceae | <i>Castilleja rupicola</i> Piper ex Fernald | cliff paintbrush |
| Orobanchaceae | <i>Castilleja thompsonii</i> Pennell | Thompson's paintbrush |
| Orobanchaceae | <i>Euphrasia nemorosa</i> (Pers.) Wallr. | common eyebright |
| Orobanchaceae | <i>Orobanche fasciculata</i> Nutt. | clustered broomrape |
| Orobanchaceae | <i>Orobanche uniflora</i> L. | naked broomrape |

| | | |
|----------------------|---|------------------------------------|
| <i>Orobanchaceae</i> | <i>Parentucellia viscosa</i> (L.) Caruel | <i>parentucellia</i> |
| Orobanchaceae | <i>Pedicularis bracteosa</i> var. <i>flavida</i> (Pennell) Cronquist | bracted lousewort |
| Orobanchaceae | <i>Pedicularis bracteosa</i> var. <i>latifolia</i> (Pennell) Cronquist | bracted lousewort |
| Orobanchaceae | <i>Pedicularis contorta</i> var. <i>contorta</i> Benth. | coiled-beak lousewort |
| Orobanchaceae | <i>Pedicularis groenlandica</i> Retz. | elephant's head |
| Orobanchaceae | <i>Pedicularis ornithorhyncha</i> Benth. | bird's-beak lousewort |
| Orobanchaceae | <i>Pedicularis racemosa</i> ssp. <i>alba</i> Pennell | white-flowered sickletop lousewort |
| Orobanchaceae | <i>Pedicularis racemosa</i> ssp. <i>racemosa</i> Douglas ex Benth. | sickletop lousewort |
| Orobanchaceae | <i>Pedicularis rainierensis</i> Pennell & F.A. Warren | Mount Rainier lousewort |
| <i>Orobanchaceae</i> | <i>Rhinanthus minor</i> ssp. <i>minor</i> L. | <i>little rattlebox</i> |
| Oxalidaceae | <i>Oxalis oregana</i> Nutt. | redwood sorrel |
| Oxalidaceae | <i>Oxalis trilliifolia</i> Hook. | three-leaf wood-sorrel |
| Papaveraceae | <i>Corydalis scouleri</i> Hook. | Scouler's corydalis |
| Papaveraceae | <i>Dicentra formosa</i> ssp. <i>formosa</i> (Haw.) Walp. | western bleeding-heart |
| Papaveraceae | <i>Dicentra uniflora</i> Kellogg | steer's-head |
| Phrymaceae | <i>Erythranthe alsinoides</i> (Douglas ex Benth.) G.L. Nesom & N.S. F | chickweed monkeyflower |
| Phrymaceae | <i>Erythranthe breweri</i> (Greene) G.L. Nesom | Brewer's monkeyflower |
| Phrymaceae | <i>Erythranthe caespitosa</i> (Greene) G.L. Nesom | large mountain monkeyflower |
| Phrymaceae | <i>Erythranthe guttata</i> (Fisch. ex DC.) G.L. Nesom | yellow monkeyflower |
| Phrymaceae | <i>Erythranthe lewisii</i> (Pursh) G.L. Nesom & N.S. Fraga | purple monkeyflower |
| Phrymaceae | <i>Erythranthe moschata</i> (Douglas ex Lindl.) G.L. Nesom | musk monkeyflower |
| Phrymaceae | <i>Erythranthe tilingii</i> (Regel) G.L. Nesom | large mountain monkeyflower |
| Pinaceae | <i>Abies amabilis</i> Douglas ex J. Forbes | silver fir |
| Pinaceae | <i>Abies grandis</i> (Douglas ex D. Don) Lindl. | grand fir |
| Pinaceae | <i>Abies lasiocarpa</i> var. <i>lasiocarpa</i> (Hook.) Nutt. | subalpine fir |
| Pinaceae | <i>Abies procera</i> Rehder | noble fir |
| Pinaceae | <i>Picea engelmannii</i> var. <i>engelmannii</i> Parry ex Engelm. | Engelmann's spruce |
| Pinaceae | <i>Picea sitchensis</i> (Bong.) Carrière | Sitka spruce |
| Pinaceae | <i>Pinus albicaulis</i> Engelm. | whitebark pine |
| Pinaceae | <i>Pinus contorta</i> Dougl. ex Loud. var. <i>contorta</i> | shore pine |
| Pinaceae | <i>Pinus contorta</i> Dougl. ex Loud. var. <i>latifolia</i> Engelm. ex S. Wats. | lodgepole pine |
| Pinaceae | <i>Pinus monticola</i> Douglas ex D. Don | western white pine |
| Pinaceae | <i>Pinus ponderosa</i> var. <i>ponderosa</i> Douglas ex P. Lawson & C. La | ponderosa pine |
| Pinaceae | <i>Pseudotsuga menziesii</i> var. <i>menziesii</i> (Mirb.) Franco | Douglas fir |

| | | |
|-----------------------|--|-------------------------------|
| Pinaceae | Tsuga heterophylla (Raf.) Sarg. | western hemlock |
| Pinaceae | Tsuga mertensiana (Bong.) Carrière | mountain hemlock |
| Plantaginaceae | Callitriche hermaphroditica L. | northern water-starwort |
| Plantaginaceae | Callitriche palustris L. | greater water-starwort |
| Plantaginaceae | Collinsia parviflora Lindl. | small-flowered blue-eyed Mary |
| <i>Plantaginaceae</i> | <i>Digitalis purpurea ssp. purpurea L.</i> | <i>foxglove</i> |
| Plantaginaceae | Hippuris montana Ledeb. ex Rchb. | mountain mare's-tail |
| Plantaginaceae | Hippuris vulgaris L. | common mare's-tail |
| <i>Plantaginaceae</i> | <i>Linaria dalmatica ssp. dalmatica (L.) Mill.</i> | <i>Dalmatian toadflax</i> |
| <i>Plantaginaceae</i> | <i>Linaria vulgaris Mill.</i> | <i>butter-and-eggs</i> |
| Plantaginaceae | Nothochelone nemorosa (Douglas ex Lindl.) Straw | woodland-penstemon |
| Plantaginaceae | Penstemon confertus Douglas ex Lindl. | yellow penstemon |
| Plantaginaceae | Penstemon davidsonii var. davidsonii Greene | Davidson's penstemon |
| Plantaginaceae | Penstemon davidsonii var. menziesii (D.D. Keck) Cronquist | Menzies's penstemon |
| Plantaginaceae | Penstemon fruticosus var. fruticosus (Pursh) Greene | shrubby penstemon |
| Plantaginaceae | Penstemon fruticosus x P. rupicola | hybrid penstemon |
| Plantaginaceae | Penstemon ovatus Douglas ex Hook. | broad-leaved penstemon |
| Plantaginaceae | Penstemon procerus var. tolmiei (Hook.) Cronquist | small-flowered penstemon |
| Plantaginaceae | Penstemon rupicola (Piper) Howell | cliff penstemon |
| Plantaginaceae | Penstemon serrulatus Menzies ex Rees | Cascade penstemon |
| <i>Plantaginaceae</i> | <i>Plantago lanceolata L.</i> | <i>English plantain</i> |
| <i>Plantaginaceae</i> | <i>Plantago major L.</i> | <i>common plantain</i> |
| Plantaginaceae | Veronica americana Schwein. ex Benth. | American brooklime |
| <i>Plantaginaceae</i> | <i>Veronica arvensis L.</i> | <i>small speedwell</i> |
| <i>Plantaginaceae</i> | <i>Veronica chamaedrys L.</i> | <i>germander-speedwell</i> |
| Plantaginaceae | Veronica cusickii A. Gray | Cusick's speedwell |
| <i>Plantaginaceae</i> | <i>Veronica officinalis var. officinalis L.</i> | <i>common speedwell</i> |
| Plantaginaceae | Veronica peregrina L. var. xalapensis (Kunth) Pennell | purslane speedwell |
| Plantaginaceae | Veronica scutellata L. | marsh speedwell |
| Plantaginaceae | Veronica serpyllifolia L. | thyme-leaf speedwell |
| Plantaginaceae | Veronica wormskjoldii ssp. wormskjoldii Roem. & Schult. | American alpine speedwell |
| Poaceae | Achnatherum occidentale (Thurb. ex S. Wats.) Barkworth ssp. pu | western needlegras |
| <i>Poaceae</i> | <i>Agrostis capillaris L.</i> | <i>colonial bentgrass</i> |
| Poaceae | Agrostis exarata Trin. | spike bentgrass |

| | | |
|---------|--|--------------------------------|
| Poaceae | <i>Agrostis gigantea</i> Roth | black bent |
| Poaceae | <i>Agrostis idahoensis</i> Nash | Idaho bentgrass |
| Poaceae | <i>Agrostis oregonensis</i> Vasey | Oregon bentgrass |
| Poaceae | <i>Agrostis pallens</i> Trin. | leafy bentgrass |
| Poaceae | <i>Agrostis scabra</i> Willd. | rough bentgrass |
| Poaceae | <i>Agrostis variabilis</i> Rydb. | silver hairgrass |
| Poaceae | <i>Aira caryophyllea</i> var. <i>caryophyllea</i> L. | early hairgrass |
| Poaceae | <i>Aira praecox</i> L. | sweet vernal grass |
| Poaceae | <i>Anthoxanthum odoratum</i> ssp. <i>odoratum</i> L. | wild oats |
| Poaceae | <i>Avena fatua</i> ssp. <i>fatua</i> L. | wild oats |
| Poaceae | <i>Bromus carinatus</i> Hook. & Arn. var. <i>marginatus</i> Hitchc. ex Scoggan | |
| Poaceae | <i>Bromus commutatus</i> var. <i>commutatus</i> Schrad. | meadow brome |
| Poaceae | <i>Bromus hordeaceus</i> ssp. <i>hordeaceus</i> L. | soft brome |
| Poaceae | <i>Bromus inermis</i> Leyss. | smooth brome |
| Poaceae | <i>Bromus sitchensis</i> Trin. | Sitka brome |
| Poaceae | <i>Bromus tectorum</i> L. | cheatgrass |
| Poaceae | <i>Bromus vulgaris</i> (Hook.) Shear | Columbian brome |
| Poaceae | <i>Calamagrostis canadensis</i> var. <i>langsдорffii</i> (Link) Inman | bluejoint |
| Poaceae | <i>Calamagrostis purpurascens</i> R. Br. | purple reed-grass |
| Poaceae | <i>Calamagrostis sesquiflora</i> (Trin.) Tzvelev | one-and-a-half-reed-grass |
| Poaceae | <i>Calamagrostis stricta</i> ssp. <i>inexpansa</i> (A. Gray) C.W. Greene | northern reed-grass |
| Poaceae | <i>Calamagrostis tacomensis</i> | Rainier reed-grass |
| Poaceae | <i>Cinna latifolia</i> (Trevir. ex Göpp.) Griseb. | slender woodreed |
| Poaceae | <i>Cynosurus cristatus</i> L. | crested dogtail grass |
| Poaceae | <i>Dactylis glomerata</i> L. | orchard-grass |
| Poaceae | <i>Danthonia californica</i> var. <i>americana</i> (Scribn.) Hitchc. | California oatgrass |
| Poaceae | <i>Danthonia intermedia</i> ssp. <i>intermedia</i> Vasey | timber oatgrass |
| Poaceae | <i>Deschampsia cespitosa</i> ssp. <i>cespitosa</i> (L.) P. Beauv. | tufted hairgrass |
| Poaceae | <i>Deschampsia danthonioides</i> (Trin.) Munro | annual hairgrass |
| Poaceae | <i>Deschampsia elongata</i> (Hook.) Munro | slender hairgrass |
| Poaceae | <i>Elymus canadensis</i> var. <i>canadensis</i> L. | Canadian wild-rye |
| Poaceae | <i>Elymus elymoides</i> ssp. <i>brevifolius</i> (J.G. Sm.) Barkworth | short-leaf squirrel-tail grass |
| Poaceae | <i>Elymus elymoides</i> ssp. <i>elymoides</i> (Raf.) Swezey | squirrel-tail grass |
| Poaceae | <i>Elymus glaucus</i> ssp. <i>glaucus</i> Buckley | blue wild-rye |

| | | |
|---------|--|---------------------------|
| Poaceae | <i>Elymus glaucus</i> ssp. <i>jepsonii</i> (Burt Davy) Gould | blue wild-rye |
| Poaceae | <i>Elymus glaucus</i> ssp. <i>virescens</i> (Piper) Gould | blue wild-rye |
| Poaceae | <i>Elymus repens</i> ssp. <i>repens</i> (L.) Gould | quack-grass |
| Poaceae | <i>Elymus trachycaulus</i> ssp. <i>trachycaulus</i> (Link) Gould ex Shinners | slender wheatgrass |
| Poaceae | <i>Elymus</i> X <i>hansenii</i> Scribn. | squirrel-tail grass |
| Poaceae | <i>Festuca brachyphylla</i> ssp. <i>brachyphylla</i> Schult. & Schult. f. | alpine fescue |
| Poaceae | <i>Festuca occidentalis</i> Hook. | western fescue |
| Poaceae | <i>Festuca roemerii</i> (Pavlick) Alexeev | Idaho fescue |
| Poaceae | <i>Festuca rubra</i> ssp. <i>rubra</i> L. | red fescue |
| Poaceae | <i>Festuca subulata</i> var. <i>subulata</i> Trin. | bearded fescue |
| Poaceae | <i>Festuca viridula</i> Vasey | green fescue |
| Poaceae | <i>Glyceria borealis</i> (Nash) Batch. | small floating mannagrass |
| Poaceae | <i>Glyceria elata</i> (Nash) M.E. Jones | tall mannagrass |
| Poaceae | <i>Glyceria grandis</i> var. <i>grandis</i> S. Watson | American mannagrass |
| Poaceae | <i>Glyceria leptostachya</i> Buckley | slender-spike mannagrass |
| Poaceae | <i>Holcus lanatus</i> L. | velvet-grass |
| Poaceae | <i>Hordeum brachyantherum</i> ssp. <i>brachyantherum</i> Nevski | meadow barley |
| Poaceae | <i>Hordeum jubatum</i> ssp. <i>jubatum</i> L. | foxtail-barley |
| Poaceae | <i>Hordeum vulgare</i> L. | common barley |
| Poaceae | <i>Lolium multiflorum</i> Lam. | Italian ryegrass |
| Poaceae | <i>Lolium perenne</i> L. | perennial ryegrass |
| Poaceae | <i>Melica subulata</i> (Griseb.) Scribn. | Alaska melic |
| Poaceae | <i>Muhlenbergia filiformis</i> (Thurb. ex S. Watson) Rydb. | pull-up muhly |
| Poaceae | <i>Pascopyrum smithii</i> (Rydb.) Barkworth & D.R. Dewey | bluestem wheatgrass |
| Poaceae | <i>Phalaris arundinacea</i> var. <i>arundinacea</i> L. | reed canary-grass |
| Poaceae | <i>Phleum alpinum</i> ssp. <i>alpinum</i> L. | mountain-timothy |
| Poaceae | <i>Phleum pratense</i> ssp. <i>pratense</i> L. | common timothy |
| Poaceae | <i>Pleuropogon refractus</i> (A. Gray) Benth. ex Vasey | nodding semaphore-grass |
| Poaceae | <i>Poa annua</i> L. | annual bluegrass |
| Poaceae | <i>Poa arctica</i> ssp. <i>grayana</i> (Vasey) Á. Löve, D. Löve & B.M. Kapor | arctic bluegrass |
| Poaceae | <i>Poa bulbosa</i> ssp. <i>bulbosa</i> L. | bulbous bluegrass |
| Poaceae | <i>Poa compressa</i> L. | compressed bluegrass |
| Poaceae | <i>Poa cusickii</i> ssp. <i>epilis</i> (Scribn.) W.A. Weber | skyline bluegrass |
| Poaceae | <i>Poa leptocoma</i> Trin. | marsh bluegrass |

| | | |
|---------------|---|---------------------------|
| Poaceae | <i>Poa lettermanii</i> Vasey | Letterman's bluegrass |
| Poaceae | <i>Poa palustris</i> L. | fowl bluegrass |
| Poaceae | <i>Poa paucispicula</i> Scribn. & Merr. | few-spike bluegrass |
| Poaceae | <i>Poa pratensis</i> ssp. <i>pratensis</i> L. | Kentucky bluegrass |
| Poaceae | <i>Poa secunda</i> ssp. <i>secunda</i> J. Presl | one-sided bluegrass |
| Poaceae | <i>Poa stenantha</i> var. <i>stenantha</i> Trin. | narrow-flowered bluegrass |
| Poaceae | <i>Poa suksdorfii</i> (Beal) Vasey ex Piper | western bluegrass |
| Poaceae | <i>Poa trivialis</i> L. | roughstalk bluegrass |
| Poaceae | <i>Poa wheeleri</i> Vasey | Hooker's bluegrass |
| Poaceae | <i>Podagrostis aequivalvis</i> (Trin.) Scribn. & Merr. | arctic bentgrass |
| Poaceae | <i>Podagrostis humilis</i> (Vasey) Björkman | alpine bentgrass |
| Poaceae | <i>Podagrostis thurberiana</i> (Hitchc.) Hultén | mountain bentgrass |
| Poaceae | <i>Polypogon monspeliensis</i> (L.) Desf. | rabbitfoot grass |
| Poaceae | <i>Puccinellia distans</i> ssp. <i>distans</i> (Jacq.) Parl. | spreading alkali-grass |
| Poaceae | <i>Schedonorus pratensis</i> (Huds.) P. Beauv. | meadow fescue |
| Poaceae | <i>Setaria viridis</i> var. <i>viridis</i> (L.) P. Beauv. | green bristle-grass |
| Poaceae | <i>Thinopyrum intermedium</i> ssp. <i>intermedium</i> (Host) Barkworth & L | intermediate wheatgrass |
| Poaceae | <i>Torreyochloa pallida</i> var. <i>pauciflora</i> (J. Presl) J.I. Davis | weak mannagrass |
| Poaceae | <i>Trisetum cernuum</i> ssp. <i>canescens</i> (Buckley) Calder & Roy L. Ta | tall trisetum |
| Poaceae | <i>Trisetum cernuum</i> ssp. <i>cernuum</i> Trin. | nodding trisetum |
| Poaceae | <i>Trisetum spicatum</i> ssp. <i>spicatum</i> (L.) K. Richt. | spike-trisetum |
| Poaceae | <i>Vahlodea atropurpurea</i> ssp. <i>atropurpurea</i> (Wahlenb.) Fr. ex Hart | mountain hairgrass |
| Poaceae | <i>Vulpia microstachys</i> (Nutt.) Munro | small fescue |
| Polemoniaceae | <i>Collomia heterophylla</i> Douglas ex Hook. | variable-leaf collomia |
| Polemoniaceae | <i>Collomia larsenii</i> (A. Gray) Payson | alpine collomia |
| Polemoniaceae | <i>Collomia linearis</i> Nutt. | narrow-leaf collomia |
| Polemoniaceae | <i>Gilia capitata</i> ssp. <i>capitata</i> Sims | globe gilia |
| Polemoniaceae | <i>Leptosiphon nuttallii</i> ssp. <i>nuttallii</i> (A. Gray) J.M. Porter & L.A. Jol | Nuttall's linanthus |
| Polemoniaceae | <i>Microsteris gracilis</i> (Hook.) Greene | annual phlox |
| Polemoniaceae | <i>Phlox diffusa</i> ssp. <i>longistylis</i> Wherry | spreading phlox |
| Polemoniaceae | <i>Polemonium californicum</i> Eastw. | showy Jacob's ladder |
| Polemoniaceae | <i>Polemonium elegans</i> Greene | sky-pilot |
| Polemoniaceae | <i>Polemonium pulcherrimum</i> Hook. var. <i>pulcherrimum</i> | low Jacob's ladder |
| Polygonaceae | <i>Aconogonon davisiae</i> var. <i>davisiae</i> (W.H. Brewer ex A. Gray) Sc | fleeceflower |

| | | |
|------------------|---|--------------------------|
| Polygonaceae | <i>Bistorta bistortoides</i> (Pursh) Small | American-bistort |
| Polygonaceae | <i>Eriogonum compositum</i> var. <i>compositum</i> Douglas ex Benth. | arrow-leaf buckwheat |
| Polygonaceae | <i>Eriogonum ovalifolium</i> var. <i>nivale</i> (Canby ex Coville) M.E. Jones | cushion buckwheat |
| Polygonaceae | <i>Eriogonum pyrolifolium</i> var. <i>coryphaeum</i> Torr. & A. Gray | alpine buckwheat |
| Polygonaceae | <i>Eriogonum umbellatum</i> var. <i>hausknechtii</i> (Dammer) M.E. Jones | sulfur buckwheat |
| Polygonaceae | <i>Eriogonum umbellatum</i> var. <i>majus</i> | sulphur-flower buckwheat |
| Polygonaceae | <i>Fallopia convolvulus</i> (L.) Á. Löve | black bindweed |
| Polygonaceae | <i>Fallopia japonica</i> var. <i>japonica</i> (Houtt.) Ronse Decr. | Japanese knotweed |
| Polygonaceae | <i>Oxyria digyna</i> (L.) Hill | mountain-sorrel |
| Polygonaceae | <i>Persicaria lapathifolia</i> (L.) Gray | willow-weed |
| Polygonaceae | <i>Persicaria maculosa</i> Gray | spotted lady'sthumb |
| Polygonaceae | <i>Polygonum aviculare</i> ssp. <i>aviculare</i> L. | yard knotweed |
| Polygonaceae | <i>Polygonum douglasii</i> Greene | Douglas's knotweed |
| Polygonaceae | <i>Polygonum majus</i> (Meisn.) Piper | large knotweed |
| Polygonaceae | <i>Polygonum minimum</i> S. Watson | broadleaf knotweed |
| Polygonaceae | <i>Polygonum nuttallii</i> | Nuttall's knotweed |
| Polygonaceae | <i>Polygonum polygaloides</i> ssp. <i>kelloggii</i> (Greene) J.C. Hickman | Kellogg's knotweed |
| Polygonaceae | <i>Rumex acetosella</i> L. | sheep-sorrel |
| Polygonaceae | <i>Rumex conglomeratus</i> Murray | sharp dock |
| Polygonaceae | <i>Rumex crispus</i> L. | curly dock |
| Polygonaceae | <i>Rumex obtusifolius</i> L. | bitter dock |
| Polygonaceae | <i>Rumex triangulivalvis</i> (Danser) Rech. f. | willow-leaved dock |
| Polypodiaceae | <i>Polypodium amorphum</i> Suksd. | irregular polypody |
| Polypodiaceae | <i>Polypodium glycyrrhiza</i> D.C. Eaton | licorice fern |
| Polypodiaceae | <i>Polypodium hesperium</i> Maxon | western polypody |
| Potamogetonaceae | <i>Potamogeton natans</i> L. | floating pondweed |
| Primulaceae | <i>Dodecatheon jeffreyi</i> Van Houtte | Jeffrey's shooting star |
| Primulaceae | <i>Douglasia laevigata</i> A. Gray | cliff-primrose |
| Primulaceae | <i>Trientalis europaea</i> L. | northern starflower |
| Primulaceae | <i>Trientalis latifolia</i> Hook. | starflower |
| Pteridaceae | <i>Adiantum aleuticum</i> (Rupr.) C.A. Paris | northern maidenhair |
| Pteridaceae | <i>Cheilanthes gracillima</i> D.C. Eaton | lace lip fern |
| Pteridaceae | <i>Cryptogramma acrostichoides</i> R. Br. | American parsley fern |
| Pteridaceae | <i>Cryptogramma cascadenis</i> E.R. Alverson | Cascade parsley fern |

| | | |
|----------------------|---|---------------------------|
| Pteridaceae | Pentagramma triangularis ssp. triangularis (Kaulf.) Yatsk., Windl | goldback fern |
| Ranunculaceae | Aconitum columbianum ssp. columbianum Nutt. | Columbian monkshood |
| Ranunculaceae | Actaea rubra (Aiton) Willd. | red baneberry |
| Ranunculaceae | Anemone deltoidea Hook. | Columbian windflower |
| Ranunculaceae | Anemone drummondii var. drummondii S. Watson | Drummond's anemone |
| Ranunculaceae | Anemone lyallii Britton | Lyall's anemone |
| Ranunculaceae | Anemone multifida var. saxicola B. Boivin | globe anemone |
| Ranunculaceae | Anemone occidentalis S. Watson | western anemone |
| Ranunculaceae | Aquilegia formosa var. formosa Fisch. ex DC. | western columbine |
| Ranunculaceae | Caltha leptosepala DC. | elkslip marsh-marigold |
| Ranunculaceae | Delphinium glareosum Greene | rockslide larkspur |
| Ranunculaceae | Delphinium glaucum S. Watson | pale-leaved larkspur |
| <i>Ranunculaceae</i> | <i>Ranunculus acris</i> L. | <i>tall buttercup</i> |
| Ranunculaceae | Ranunculus alismifolius var. alismifolius Geyer ex Benth. | water-plantain buttercup |
| Ranunculaceae | Ranunculus aquatilis var. aquatilis L. | white water-buttercup |
| Ranunculaceae | Ranunculus eschscholtzii var. suksdorfii (A. Gray) L.D. Benson | subalpine buttercup |
| Ranunculaceae | Ranunculus gelidus Karelin & Kirilov | modest butercup |
| <i>Ranunculaceae</i> | <i>Ranunculus repens</i> L. | <i>creeping buttercup</i> |
| Ranunculaceae | Ranunculus uncinatus D. Don ex G. Don | woodland buttercup |
| Ranunculaceae | Thalictrum occidentale A. Gray | western meadowrue |
| Ranunculaceae | Trautvetteria caroliniensis (Walter) Vail | tassel-rue |
| Ranunculaceae | Trollius albiflorus (A. Gray) Rydb. | American globeflower |
| Rhamnaceae | Ceanothus sanguineus Pursh | redstem ceanothus |
| Rhamnaceae | Ceanothus velutinus Dougl. ex Hook. var. laevigatus (Hook.) Torr | tobacco brush |
| Rhamnaceae | Fragula purshiana (DC.) Cooper | cascara |
| Rosaceae | Amelanchier alnifolia (Nutt.) Nutt. ex M. Roemer | western serviceberry |
| <i>Rosaceae</i> | <i>Aphanes arvensis</i> L. | <i>parsley-piert</i> |
| Rosaceae | Aruncus dioicus var. acuminatus (Rydb.) H. Hara | goat's beard |
| Rosaceae | Comarum palustre L. | marsh cinquefoil |
| Rosaceae | Dasiphora fruticosa (L.) Rydb. | shrubby cinquefoil |
| Rosaceae | Dryas hookeriana Juz. | white mountain-avens |
| Rosaceae | Drymocallis glandulosa var. glandulosa (Lindl.) Rydb. | sticky cinquefoil |
| Rosaceae | Fragaria vesca L. var. bracteata (Heller) R.J. Davis | mountain srawberry |
| Rosaceae | Fragaria virginiana ssp. platypetala (Rydb.) Staudt | Virginia strawberry |

| | | |
|-----------------|--|-----------------------------|
| Rosaceae | <i>Geum macrophyllum</i> var. <i>macrophyllum</i> Willd. | bigleaf avens |
| Rosaceae | <i>Holodiscus discolor</i> var. <i>discolor</i> (Pursh) Maxim. | ocean-spray |
| Rosaceae | <i>Ivesia tweedyi</i> Rydb. | Tweedy's ivesia |
| Rosaceae | <i>Luetkea pectinata</i> (Pursh) Kuntze | partridgefoot |
| Rosaceae | <i>Malus fusca</i> (Raf.) C.K. Schneid. | Oregon crabapple |
| Rosaceae | <i>Oemleria cerasiformis</i> (Torr. & A. Gray ex Hook. & Arn.) J.W. La | osoberry |
| Rosaceae | <i>Physocarpus capitatus</i> (Pursh) Kuntze | Pacific ninebark |
| Rosaceae | <i>Potentilla drummondii</i> Lehm. | Drummond's cinquefoil |
| Rosaceae | <i>Potentilla flabellifolia</i> Hook. ex Torr. & A. Gray | fan-leaf cinquefoil |
| Rosaceae | <i>Potentilla glaucophylla</i> Lehm. var. <i>glaucophylla</i> | varied-leaf cinquefoil |
| Rosaceae | <i>Potentilla gracilis</i> var. <i>gracilis</i> Douglas ex Hook. | gracefoil cinquefoil |
| <i>Rosaceae</i> | <i>Potentilla norvegica</i> L. | <i>Norwegian cinquefoil</i> |
| Rosaceae | <i>Potentilla rivalis</i> Nutt. | brook cinquefoil |
| Rosaceae | <i>Potentilla villosa</i> Pall. ex Pursh | northern cinquefoil |
| Rosaceae | <i>Poteridium occidentale</i> Rydb. | western burnet |
| Rosaceae | <i>Prunus emarginata</i> (Douglas) Eaton | bitter cherry |
| Rosaceae | <i>Rosa gymnocarpa</i> Nutt. | wood rose |
| Rosaceae | <i>Rosa nutkana</i> ssp. <i>macdougalii</i> (Holz.) Piper | Nootka rose |
| Rosaceae | <i>Rosa pisocarpa</i> Gray | clustered rose |
| <i>Rosaceae</i> | <i>Rubus bifrons</i> Vest | <i>Himalayan blackberry</i> |
| <i>Rosaceae</i> | <i>Rubus laciniatus</i> Willd. | <i>cut-leaf blackberry</i> |
| Rosaceae | <i>Rubus lasiococcus</i> A. Gray | dwarf bramble |
| Rosaceae | <i>Rubus leucodermis</i> Douglas ex Torr. & A. Gray | blackcap raspberry |
| Rosaceae | <i>Rubus nivalis</i> Douglas ex Hook. | snow dewberry |
| Rosaceae | <i>Rubus parviflorus</i> Nutt. | thimbleberry |
| Rosaceae | <i>Rubus pedatus</i> Sm. | five-leaved bramble |
| <i>Rosaceae</i> | <i>Rubus sachalinensis</i> var. <i>sachalinensis</i> H. Lév. | <i>red raspberry</i> |
| Rosaceae | <i>Rubus spectabilis</i> Pursh | salmonberry |
| Rosaceae | <i>Rubus ursinus</i> Cham. & Schtdl. | Pacific blackberry |
| Rosaceae | <i>Sanguisorba stipulata</i> Raf. | Sitka burnet |
| Rosaceae | <i>Sibbaldia procumbens</i> L. | creeping sibbaldia |
| Rosaceae | <i>Sorbus scopulina</i> Greene var. <i>cascadensis</i> (G.N. Jones) C.L. Hit | Cascade mountin-ash |
| Rosaceae | <i>Sorbus sitchensis</i> var. <i>grayi</i> (Wenzig) C.L. Hitchc. | Sitka mountain-ash |
| Rosaceae | <i>Sorbus sitchensis</i> var. <i>sitchensis</i> M. Roem. | Sitka mountain-ash |

| | | |
|---------------|---|-------------------------|
| Rosaceae | <i>Spiraea densiflora</i> Nutt. ex Greenm. var. <i>splendens</i> (Baumann ex) | rosy spirea |
| Rosaceae | <i>Spiraea douglasii</i> var. <i>douglasii</i> Hook. | Douglas's spirea |
| Rosaceae | <i>Spiraea douglasii</i> var. <i>menziesii</i> (Hook.) C. Presl | Menzies's spirea |
| Rosaceae | <i>Spiraea lucida</i> Dougl. ex Greene | shiny-leaf spirea |
| Rosaceae | <i>Spiraea X hitchcockii</i> W.J. Hess & Stoyhoff | Hitchcock's spirea |
| Rubiaceae | <i>Galium aparine</i> L. | goose-grass |
| Rubiaceae | <i>Galium mollugo</i> L. | false baby's-breath |
| Rubiaceae | <i>Galium oreganum</i> Britton | Oregon bedstraw |
| Rubiaceae | <i>Galium trifidum</i> ssp. <i>columbianum</i> (Rydb.) Hultén | small bedstraw |
| Rubiaceae | <i>Galium triflorum</i> Michx. | fragrant bedstraw |
| Rubiaceae | <i>Galium verum</i> var. <i>verum</i> L. | lady's bedstraw |
| Rubiaceae | <i>Sherardia arvensis</i> L. | blue field-madder |
| Salicaceae | <i>Populus trichocarpa</i> Torr. & A. Gray ex Hook. | black cottonwood |
| Salicaceae | <i>Salix barclayi</i> Andersson | Barclay's willow |
| Salicaceae | <i>Salix boothii</i> Dorn | blueberry-willow |
| Salicaceae | <i>Salix cascadiensis</i> Cockerell | Cascade willow |
| Salicaceae | <i>Salix commutata</i> Bebb | variable willow |
| Salicaceae | <i>Salix geyeriana</i> Andersson | Geyer's willow |
| Salicaceae | <i>Salix hookeriana</i> Barratt ex Hook. | Piper's willow |
| Salicaceae | <i>Salix lasiandra</i> var. <i>lasiandra</i> Benth. | shining willow |
| Salicaceae | <i>Salix nivalis</i> Hook. | snow willow |
| Salicaceae | <i>Salix planifolia</i> Pursh | tea-leaved willow |
| Salicaceae | <i>Salix prolixa</i> Andersson | Mackenzie's willow |
| Salicaceae | <i>Salix scouleriana</i> Barratt ex Hook. | Scouler's willow |
| Salicaceae | <i>Salix sitchensis</i> Sanson ex Bong. | Sitka willow |
| Santalaceae | <i>Arceuthobium campylopodum</i> Engelm. | hemlock dwarf mistletoe |
| Sapindaceae | <i>Acer circinatum</i> Pursh | vine maple |
| Sapindaceae | <i>Acer glabrum</i> var. <i>douglasii</i> (Hook.) Dippel | Rocky Mountain maple |
| Sapindaceae | <i>Acer macrophyllum</i> Pursh | bigleaf maple |
| Saxifragaceae | <i>Boykinia occidentalis</i> Torr. & A. Gray | western boykinia |
| Saxifragaceae | <i>Chrysosplenium glechomifolium</i> Nutt. | Pacific golden-carpet |
| Saxifragaceae | <i>Elmera racemosa</i> (S. Watson) Rydb. | yellow coralbells |
| Saxifragaceae | <i>Hemieva ranunculifolia</i> (Hook.) Raf. | buttercup suksdorfia |
| Saxifragaceae | <i>Heuchera cylindrica</i> Douglas | roundleaf alumroot |

| | | |
|------------------|--|--------------------------|
| Saxifragaceae | <i>Heuchera glabra</i> Willd. ex Roem. & Schult. | smooth alumroot |
| Saxifragaceae | <i>Heuchera micrantha</i> var. <i>diversifolia</i> (Rydb.) Rosend., Butters & | crevice alumroot |
| Saxifragaceae | <i>Heuchera micrantha</i> var. <i>micrantha</i> Douglas ex Lindl. | crevice alumroot |
| Saxifragaceae | <i>Leptarrhena pyrolifolia</i> (D. Don) R. Br. ex Ser. | leatherleaf-saxifrage |
| Saxifragaceae | <i>Micranthes ferruginea</i> (Graham) Brouillet & Gornall | rusty saxifrage |
| Saxifragaceae | <i>Micranthes lyallii</i> (Engl.) Small | Lyall's saxifrage |
| Saxifragaceae | <i>Micranthes nelsoniana</i> var. <i>cascadensis</i> (Calder & Savile) Gornall | Nelson's brook saxifrage |
| Saxifragaceae | <i>Micranthes occidentalis</i> (S. Watson) Small | western saxifrage |
| Saxifragaceae | <i>Micranthes odontoloma</i> (Piper) A. Heller | brook saxifrage |
| Saxifragaceae | <i>Micranthes tolmiei</i> (Torr. & A. Gray) Brouillet & Gornall | Tolmie's saxifrage |
| Saxifragaceae | <i>Mitellastra caulescens</i> (Nutt.) T.J. Howell | leafy mitrewort |
| Saxifragaceae | <i>Ozomelis trifida</i> (Graham) Rydberg | Pacific mitrewort |
| Saxifragaceae | <i>Pectiantia breweri</i> (Gray) Rydb. | Brewer's mitrewort |
| Saxifragaceae | <i>Pectiantia pentandra</i> (Hook.) Rydb. | alpine mitrewort |
| Saxifragaceae | <i>Saxifraga bronchialis</i> ssp. <i>austromontana</i> (Wiegand) Piper | yellow-dot saxifrage |
| Saxifragaceae | <i>Saxifraga cespitosa</i> L. | tufted saxifrage |
| Saxifragaceae | <i>Saxifraga hyperborea</i> R. Br. | pygmy saxifrage |
| Saxifragaceae | <i>Saxifraga mertensiana</i> Bong. | Mertens's saxifrage |
| Saxifragaceae | <i>Saxifraga oppositifolia</i> ssp. <i>oppositifolia</i> L. | purple saxifrage |
| Saxifragaceae | <i>Saxifraga vespertina</i> (Small) Fedde | yellow-dot saxifrage |
| Saxifragaceae | <i>Tellima grandiflora</i> (Pursh) Douglas ex Lindl. | fragrant fringe-cup |
| Saxifragaceae | <i>Tiarella trifoliata</i> var. <i>laciniata</i> (Hook.) Wheelock | foamflower |
| Saxifragaceae | <i>Tiarella trifoliata</i> var. <i>trifoliata</i> L. | foamflower |
| Saxifragaceae | <i>Tiarella trifoliata</i> var. <i>unifoliata</i> (Hook.) Kurtz | foamflower |
| Saxifragaceae | <i>Tolmiea menziesii</i> (Pursh) Torr. & A. Gray | piggyback plant |
| Scrophulariaceae | <i>Verbascum thapsus</i> ssp. <i>thapsus</i> L. | common mullein |
| Selaginellaceae | <i>Selaginella scopulorum</i> Maxon | compact spike-moss |
| Selaginellaceae | <i>Selaginella wallacei</i> Hieron. | Wallace's spike-moss |
| Solanaceae | <i>Solanum americanum</i> Mill. | black nightshade |
| Solanaceae | <i>Solanum sarrachoides</i> Sendtn. | hairy nightshade |
| Sparganiaceae | <i>Sparganium angustifolium</i> Michx. | narrow-leaf bur-reed |
| Sparganiaceae | <i>Sparganium eurycarpum</i> Engelm. | simplestem bur-reed |
| Sparganiaceae | <i>Sparganium natans</i> L. | small bur-reed |
| Taxaceae | <i>Taxus brevifolia</i> Nutt. | western yew |

| | | |
|------------------|---|------------------------|
| Thelypteridaceae | <i>Thelypteris nevadensis</i> (Baker) Clute ex C.V. Morton | Nevada marsh fern |
| Tofieldiaceae | <i>Triantha occidentalis</i> ssp. <i>brevistyla</i> (C.L. Hitchc.) Packer | tofieldia |
| Typhaceae | <i>Typha latifolia</i> L. | broad-leaf cattail |
| Urticaceae | <i>Urtica dioica</i> ssp. <i>gracilis</i> (Aiton) Selander | stinging nettle |
| Valerianaceae | <i>Valeriana scouleri</i> Rydb. | Scouler's valerian |
| Valerianaceae | <i>Valeriana sitchensis</i> ssp. <i>sitchensis</i> Bong. | Sitka valerian |
| Violaceae | <i>Viola adunca</i> var. <i>adunca</i> Sm. | blue violet |
| <i>Violaceae</i> | <i>Viola arvensis</i> Murray | <i>wild pansy</i> |
| Violaceae | <i>Viola glabella</i> Nutt. | stream violet |
| Violaceae | <i>Viola langsдорffii</i> Fisch. ex Ging. | Aleutian violet |
| Violaceae | <i>Viola macloskeyi</i> F.E. Lloyd | small white violet |
| Violaceae | <i>Viola orbiculata</i> Geyer ex Holz. | round-leaved violet |
| Violaceae | <i>Viola palustris</i> L. | marsh violet |
| Violaceae | <i>Viola purpurea</i> var. <i>venosa</i> (S. Watson) Brainerd | goosefoot violet |
| Violaceae | <i>Viola sempervirens</i> Greene | evergreen violet |
| Woodsiaceae | <i>Athyrium alpestre</i> (Hoppe) Milde | alpine lady fern |
| Woodsiaceae | <i>Athyrium filix-femina</i> var. <i>cyclosum</i> (Rupr.) Ledeb. | western lady fern |
| Woodsiaceae | <i>Cystopteris fragilis</i> (L.) Bernh. | brittle fern |
| Woodsiaceae | <i>Gymnocarpium disjunctum</i> (Rupr.) Ching | Pacific oak fern |
| Woodsiaceae | <i>Woodsia oregana</i> ssp. <i>oregana</i> D.C. Eaton | Oregon cliff fern |
| Woodsiaceae | <i>Woodsia scopulina</i> ssp. <i>scopulina</i> D.C. Eaton | Rocky Mountain woodsia |

| | |
|----------------------|-------|
| Total Species | 931 |
| Total Native Species | 747 |
| Photographed | 603 |
| % Photographed | 80.7% |
| Total Non-native | 184 |
| % Non-native | 19.8% |